MySQL for Visual Studio

Abstract

This is the MySQL for Visual Studio User Manual. It documents the MySQL for Visual Studio through 1.2.10.

For notes detailing the changes in each release, see the MySQL for Visual Studio Release Notes.

For legal information, including licensing information, see the Preface and Legal Notices.

For help with using MySQL, please visit the MySQL Forums, where you can discuss your issues with other MySQL users.

Document generated on: 2023-07-31 (revision: 76371)

Table of Contents

Preface and Legal Notices	v
1 General Information	1
1.1 New in Version 1.2	1
1.2 New in Version 2.0 (Development Release)	2
2 Installing MySQL for Visual Studio	9
3 Enabling the MySQL Toolbar	11
4 Making a Connection	13
4.1 Connect Using Server Explorer	. 14
4.2 Connect Using MySQL Connections Manager	16
5 Editing	. 19
5.1 MySQL SQL Editor	19
5.2 Code Editors	. 20
5.3 Editing Tables	. 22
5.3.1 Column Editor	24
5.3.2 Column Properties	. 25
5.3.3 Table Properties	. 25
5.4 Editing Views	27
5.5 Editing Indexes	29
5.6 Editing Foreign Keys	30
5.7 Editing Stored Procedures and Functions	. 31
5.8 Editing Triggers	. 33
6 Using the ADO.NET Entity Framework	35
7 MySQL Application Configuration Tool	37
7.1 Entity Framework	37
7.2 Web Providers	39
7.3 Using the MySQL Connection String Editor	44
8 MySQL Project Items	45
8.1 MySQL ASP.NET MVC Items	. 45
8.2 MySQL Windows Forms Items	52
9 MySQL Data Export Tool	55
10 DDL T4 Template Macro	61
11 Debugging Stored Procedures and Functions	63
A MySQL for Visual Studio Frequently Asked Questions	. 75

Preface and Legal Notices

This is the user manual for MySQL for Visual Studio, an add-on to Microsoft Visual Studio.

Licensing information. This product may include third-party software, used under license.

If you are using a *Commercial* release of MySQL for Visual Studio, see one of the following for licensing information, including licensing information relating to third-party software that may be included in this Commercial release:

- MySQL for Visual Studio 1.2 Commercial License Information User Manual
- MySQL for Visual Studio 2.0 Commercial License Information User Manual

If you are using a *Community* release of MySQL for Visual Studio, see one of the following for licensing information, including licensing information relating to third-party software that may be included in this Community release:

- MySQL for Visual Studio 1.2 Community License Information User Manual
- MySQL for Visual Studio 2.0 Community License Information User Manual

Legal Notices

Copyright © 2004, 2023, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be errorfree. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is NOT distributed under a GPL license. Use of this documentation is subject to the following terms:

You may create a printed copy of this documentation solely for your own personal use. Conversion to other formats is allowed as long as the actual content is not altered or edited in any way. You shall not publish or distribute this documentation in any form or on any media, except if you distribute the documentation in a manner similar to how Oracle disseminates it (that is, electronically for download on a Web site with the software) or on a CD-ROM or similar medium, provided however that the documentation is disseminated together with the software on the same medium. Any other use, such as any dissemination of printed copies or use of this documentation, in whole or in part, in another publication, requires the prior written consent from an authorized representative of Oracle. Oracle and/ or its affiliates reserve any and all rights to this documentation not expressly granted above.

Access to Oracle Support for Accessibility

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit https://www.oracle.com/corporate/accessibility/learning-support.html#support-tab.

Chapter 1 General Information

Table of Contents

1.1 New in Version 1.211.2 New in Version 2.0 (Development Release)2

MySQL for Visual Studio provides access to MySQL objects and data from Visual Studio. As a Visual Studio package, MySQL for Visual Studio integrates directly into Server Explorer providing the ability to create new connections and work with MySQL database objects.

Functionality concepts includes:

• **SQL Development**: By integrating directly into Visual Studio, database objects (tables, views, stored routines, triggers, indexes, etc) can be created, altered, or dropped directly inside Server Explorer.

Visual object editors include helpful information to guide you through the editing process. Standard data views are also available to help you view your data.

- **Query Designer**: Visual Studio's query design tool is also directly supported. With this tool, you can query and view data from tables or views while also combining filters, group conditions, and parameters. Stored routines (both with and without parameters) can also be queried.
- **Stored Routine Debugging**: Use the full debugging support for stored routines. Using the standard Visual Studio environment and controls, you can set breakpoints, add watches, and step into, out of, and over routines and calls. Local variables can be added to the watch window and call stack navigation is also supported.
- Entity Framework: The Entity Framework is supported, to allow template based code generation and full support of the model designers and wizards.

For notes detailing the changes in each release, see the MySQL for Visual Studio Release Notes.

1.1 New in Version 1.2

This section summarizes many of the new features added to 1.2.x in relation to earlier versions of MySQL for Visual Studio.

- Support for MySQL 8.0 Features
- New or Changed Tool Support
- Version Support for Visual Studio
- Item Templates versus Project Templates

For notes detailing the changes in each point release, see the MySQL for Visual Studio Release Notes.

Support for MySQL 8.0 Features

- Starting with MySQL for Visual Studio 1.2.9, SSL PEM connections can be made using the classic MySQL protocol. Both PEM and PFX certificates are permitted with Connector/NET 8.0.16 or higher when the server supports SSL connections. For configuration instructions, see SSL Connections with Server Explorer.
- MySQL for Visual Studio 1.2.8 supports the MySQL 8.0 release series (requires MySQL Connector/ NET 6.9.12, 6.10.7, or 8.0.11) including:

- MySQL data dictionary, which uses INFORMATION_SCHEMA tables rather than tables in the mysql database (see MySQL Data Dictionary).
- The caching_sha2_password authentication plugin introduced in MySQL 8.0 (see Caching SHA-2 Pluggable Authentication).

New or Changed Tool Support

- Starting with MySQL for Visual Studio 1.2.9, the plugin detects when the version of Connector/NET
 has been changed after MySQL for Visual Studio was installed and prompts to update the necessary
 configuration files using the Configuration Update Tool. Visual Studio must be restarted to activate
 the updated configuration files.
- The MySQL Website Configuration tool was renamed to MySQL Application Configuration and extended to automate entry updates to the app.config file in the MySQL for Visual Studio 1.2.9 release.

Version Support for Visual Studio

- MySQL for Visual Studio 1.2.10:
 - Support for Microsoft Visual Studio 2015 was removed.
- MySQL for Visual Studio 1.2.9:
 - Support for Microsoft Visual Studio 2019 was added.
 - Support for Microsoft Visual Studio 2012 and 2013 was removed.
- MySQL for Visual Studio 1.2.7:
 - Support for Microsoft Visual Studio 2017 was added.
 - Support for Microsoft Visual Studio 2010 was removed.

Item Templates versus Project Templates

Beginning with MySQL for Visual Studio 1.2.5, the project templates used to create MySQL Windows Forms and MySQL MVC projects are no longer be available, as they were replaced with MySQL Project Items:

- MySQL MVC Item replaces MySQL MVC Project.
- MySQL Windows Forms Item replaces Windows Form Project.

These item templates offer the benefit of adding items to existing projects new windows forms or MVC controllers/views connected to MySQL, based on MySQL Entity Framework models, without the need of create an entirely new MySQL project.

In addition, item templates better follow the Visual Studio template standards, which are oriented to create projects regardless of the database connectivity.

For information about using Item Templates, see Chapter 8, MySQL Project Items.

1.2 New in Version 2.0 (Development Release)

This section summarizes many of the new features added to the 2.0 release series in relation to the MySQL for Visual Studio 1.2 release series. MySQL for Visual Studio 2.0.5 is a development release.

New features are described in the following sections:

- Viewing MySQL Query Output
- Version Support for Visual Studio
- Switching Connections from Script and Code Editors
- Making a Connection
- MySQL Toolbar
- MySQL JavaScript and Python Code Editors

For notes detailing the changes in each point release, see the MySQL for Visual Studio Release Notes.

Viewing MySQL Query Output

An output pane was added to the MySQL SQL, JavaScript, and Python editors to display information about each executed query. The output pane includes the information that previously appeared in the **Messages** tab.

Figure 1.1 MySQL SQL Editor Output

MyS	QL Outpu	t ::::::::::::::::::::::::::::::::::::			-
		Time	Action	Message	Duration
•	1	13:03:54	SELECT * FROM 'actor'	200 row(s) returned	0.00 sec

Version Support for Visual Studio

Beginning with MySQL for Visual Studio 2.0.5:

- Support for Microsoft Visual Studio 2017 was added.
- Support for Microsoft Visual Studio 2010 was removed.

Switching Connections from Script and Code Editors

A drop-down list was added to the toolbar of the SQL, JavaScript, and Python editors from which you can select a valid connection. JavaScript and Python editors show only the connections that support the X Protocol.





Making a Connection

A new **MySQL Connections Manager** tool was added, and it can create and manage MySQL connections. It is found under the **Server Explorer**.

Figure 1.3 Opening the MySQL Connections Manager Dialog



This button opens the **MySQL Connections Manager** dialog that enables the sharing of stored MySQL connections with MySQL Workbench, if it is installed. MySQL connections are displayed in a simpler way and can be created and edited from within this dialog. These connections can be imported to the Visual Studio **Server Explorer** for use with Visual Studio.

After opening the MySQL Connections Manager:

	MySQL Connections Manager	×
Choose a MySQL Server connection Select a MySQL connection from the list to ad	n: Id it to Visual Studio's Server Explorer.	
Filter:		
Available		
Local instance 5.5 Mysql@127.0.0.1:3306 TCP/IP (standard)	Local instance MySQL56 Mysql@localhost:3306 TCP/IP (standard)	
Add New Connection	ОК	ancel

Figure 1.4 MySQL Connections Manager Dialog: Choosing a Connection

To add a new MySQL connection with the MySQL Connections Manager:

	MySQL Connections Manager	×
D.	MySQL Server Connection	×
* Connection Name: Connection Method: Connection Status: Parameters SSL	Standard (TCP/IP) Unknown Advanced	Type a name for the connection Wethod to use to connect to the RDBMS
Hostname: Username: Password: * Default Schema:	localhost Port: 3306 Name or root Name of The user The defan	IP address of the server host - TCP/IP port. (the user to connect with. 's password, stored in a secured vault. ult schema, this field is required.
Test Connection		Cancel

Figure 1.5 MySQL Connections Manager Dialog: New Connection

MySQL Toolbar

In the **Server Explorer**, and with MySQL Server 5.7, the MySQL connection context-menu was changed to show the options to create JavaScript or Python scripts, along with the existing SQL script option.

Figure 1.6 MySQL Toolbar: Create New Script

Serv	er E	plorer		→ ╄ ×	Start Page → ×	
¢	×	" 8 "	4	1 🗗 🕺		
⊳ ∎	<u>୍</u> ତ୍ର ଜୀ	Azure Data Co	onnec	tions	Visual S	tudio
	4	5.7.	12	P-f1		
			C	Ketresh		
			X	Delete	Del	
		6		Modify Connection		
		۵ 💼		Close Connection		
Þ	\Rightarrow	Servers		MySQL Data Export		
			24	Launch MySQL Workbench		urce Control
			3	Open MySQL Utilities Console	1	
				New MySQL Script	•	SQL
				New Query		JavaScript
				Rename		Python
			۶	Properties	Alt+Enter	

Select JavaScript or Python to launch the MySQL code editor for the selected language.

MySQL JavaScript and Python Code Editors

Use the code editor to write and execute JavaScript or Python queries with MySQL Server 5.7 and higher, or as before, use SQL queries.



		New File	? ×
▲ Installed	Sort by: Default •	# E	Search Installed Templates (Ctrl+E)
General Performance	My/s Script	MySQL	Type: MySQL A blank mvis file.
Web Visual C++	MyPy Script	MySQL	
Script MySOL Graphics	MySQL Script	MySQL	
	Click here to go or	nline and find templates.	
			Open 💌 Cancel

Select MyJs Script or MyPy Script to launch the MySQL code editor for the selected language.

Figure 1.8 MySQL Editor: JavaScript Code Editor

	L Script.myjs* 🌩	×				1
1.4	8 19 5.7.12 -	Batch Mode +	Session Options +			
Т	var mysqlx -	require('mysql	x');			
	var session =	mysqlx.getSes	sion("root:passa	word@localhost:}		
	table.select().limit(5).exe	cute();	control action //		
*	• (
	lesult1					
	actor_id	fist_name	last_name	last_update		5
	1	25	GUNESS	2016-07-14 15:1		
	2	NCK	WAHLBERG	2006-03-15-4-34		-
	3	ED	CHASE	2006-03-15-4-34		
	4	JENNIFER	DAI/IS	2006-03-15 4.34		
	5	JOHNNY	LOLLOBRIGIDA	2006-03-15-4-34		ree
					1	
						et
						ew
						-
60	E Output				Marrana Duration Tatch	
60	I. Output Time	Action			weitige Stationary Sta	



MySQL	. Script.mypy* 😐	×					-
왕 2	k 5.7.12 -	Batch Mode +	Session Options •				
	inmport mysq session = my table = sess table.select	lx :sqlx.get_ses :ion.get_sche :().limit(5).	sion('root:pas mm('sakila').{ .execute()	isword∉localho get_table('act	:33060')		
100 %	- 1 m #1						,
	ander 14	first source	het some	had update.			
	actor_id	1rst_name	GLINESS	2016-07-14 15-1			
<u> </u>	2	NCK	WAHLRERG	2006-03-15 4:34			Grid
	3	ED	CHASE	2006-03-15-4-34			View
	4	JENNIFER	DAVIS	2006-03-15 4:34			2
	5	JOHNNY	LOLLOBRIGIDA	2006-03-15 4:34			Tree
•							View
1		_					lison
							Test
							View
MySQI	LOutput						* # ×
	Time	Action			Message	Duration/Fet	ch
•	2 1 13:17:05	table2.select().l	limit(5).execute()		S rows in set.	0.001 sec / 0.0	0 sec

Chapter 2 Installing MySQL for Visual Studio

MySQL for Visual Studio is an add-on for Microsoft Visual Studio that simplifies the development of applications using data stored by the MySQL RDBMS. Many MySQL for Visual Studio features also require that MySQL Connector/NET be installed on the same host where you perform Visual Studio development. Connector/NET is a separate product.

The options for installing MySQL for Visual Studio are:

• Using MySQL Installer (preferred): Download and execute the MySQL Installer.

With this option you can download and install MySQL Server, MySQL for Visual Studio, and Connector/NET together from the same software package, based on the server version. Initially, MySQL Installer assists you by evaluating the software prerequisites needed for the installation. Thereafter, MySQL Installer enables you to keep your installed products updated or to easily add and remove related MySQL products.

For additional information about using MySQL Installer with MySQL products, see MySQL Installer for Windows.

 Using the standalone Zip or MSI file: This option is ideal if you have MySQL Server and Connector/ NET installed already. Use the information in this section to determine which version of MySQL for Visual Studio to install.

MySQL for Visual Studio Configuration Update Tool

The MySQL for Visual Studio installation updates its configuration automatically when Connector/NET is installed on your computer. However, if you install Connector/NET after MySQL for Visual Studio, or upgrade Connector/NET after you have installed MySQL for Visual Studio, you are prompted to run the Configuration Update Tool.

A configuration deviation, if present, is detected by MySQL for Visual Studio when you attempt to create an Entity Framework model or the first time you attempt to open, create, or edit a connection to MySQL. Optionally, you can have MySQL for Visual Studio update the configuration files for you when it detects configuration errors and provides a popup window prompting you to invoke the tool. Select **Yes** to run the tool. You must restart Visual Studio after the affected configuration files are updated.

Minimum Requirements

MySQL for Visual Studio operates with multiple versions of Visual Studio, although the extent of support is based on your installed versions of Connector/NET and Visual Studio.

Minimum requirements for the supported versions of Visual Studio are as follows:

• Visual Studio 2019 (Community, Professional, and Enterprise)

MySQL for Visual Studio 1.2.9 with Connector/NET 8.0.14



Тір

Connector/NET 8.0.18 (or later) is recommended.

• Visual Studio 2017 (Community, Professional, and Enterprise):

MySQL for Visual Studio 1.2.7 with Connector/NET 8.0.14 or MySQL for Visual Studio 2.0.5 with Connector/NET 6.9.8

MySQL for Visual Studio does not support Express versions of Microsoft development products, including the Visual Studio and the Microsoft Visual Web Developer.

The following table shows the support information for MySQL for Visual Studio.

MySQL for Visual Studio Version	MySQL Connector/ NET Version Supported	Visual Studio Version Supported	MySQL Server Versions Supported	Notes
1.2 (GA)	8.0	2019, 2017, 2015, 2013, 2012	8.0, 5.7, 5.6	Support for MySQL 8.0 features requires MySQL for Visual Studio 1.2.8 or higher.
2.0 (RC)	8.0	2017, 2015, 2013, 2012	5.7, 5.6	Enables MySQL Configurations Manager and code editors (with MySQL 5.7).

 Table 2.1 Support Information for Companion Products

MySQL Connector/NET Restrictions

MySQL for Visual Studio is closely tied to Connector/NET, but they are two separate products that can be used without one another. The following restrictions apply:

- MySQL for Visual Studio cannot be installed alongside any version of Connector/NET 6.6 and earlier, which must be removed before installing MySQL for Visual Studio.
- The following MySQL for Visual Studio features require Connector/NET:
 - The Entity Framework Designer
 - The Application Configuration tool
 - Debugging Stored Procedures and Functions
 - The DDL T4 Template Macro (to generate a database from an EF Model)

Chapter 3 Enabling the MySQL Toolbar

The optional MySQL toolbar includes MySQL specific functionality and links to external MySQL tools such as MySQL Workbench and MySQL Utilities. Additional actions are available from the context menu for each data connection.

After installing MySQL for Visual Studio, the MySQL toolbar is available by selecting **View**, **Toolbars**, **MySQL** from the main menu. To position the MySQL toolbar within Visual Studio, do the following:

- 1. From the main menu, click **Tools** and then **Customize**.
- In the **Toolbars** tab, select MySQL to highlight it. The check box should have a check mark to indicate that the toolbar is visible.
- 3. Select a dock location from **Modify Selection**. For example, the following figure shows the MySQL toolbar in the Dock location: Left position. Other dock locations are Top, Right, and Bottom.

Figure 3.1 MySQL for Visual Studio Toolbar and Context Menu



The MySQL toolbar provides shortcuts to some of the main features of MySQL for Visual Studio:

• MySQL Script Window: Opens a new MySQL script window using the selected connection. All available MySQL connections are listed in a submenu, which can be selected on the toolbar:

Figure 3.2 The MySQL for Visual Studio Toolbar: Connections



The MySQL script window supports the IntelliSense feature for easing MySQL script creation inside Visual Studio.

- Debug MySQL Routine: Starts a debugging session on a selected MySQL stored routine inside Visual Studio.
- MySQL Data Export Tool: Opens a new tabbed-window of the Data Export tool.
- **MySQL Workbench SQL Editor**: Opens a new Workbench with an SQL editor window using the current MySQL connection, if MySQL Workbench has been installed.
- MySQL Utilities Console: Opens a new console window for the MySQL Utilities tool, if it is installed.

Chapter 4 Making a Connection

Table of Contents

4.1 Connect Using Server Explorer	. 14
4.2 Connect Using MySQL Connections Manager	16

MySQL for Visual Studio leverages and extends the connection capabilities of Visual Studio to create and store MySQL connections. To ensure access to the full set of connection options, install the most recent version of MySQL Connector/NET on the client computer (see Minimum Requirements).

MySQL for Visual Studio provides the following two distinct release series:

- **MySQL for Visual Studio 1.2 release series.** Provides General Availability (GA) releases for use with MySQL 5.6, 5.7, and 8.0 servers. Connections can be made using the classic MySQL protocol only. Both PEM and PFX certificates are permitted with Connector/NET 8.0.16 or higher when the server supports SSL connections. Unencrypted connections are supported by the latest versions of MySQL Connector/NET. To add or modify MySQL data connections, use the Server Explorer management console in Visual Studio (see Section 4.1, "Connect Using Server Explorer").
- MySQL for Visual Studio 2.0 release series. Provides a development release series for use with MySQL 5.6 and 5.7 servers (version 2.0.5 is the current milestone). Basic connections are supported for both the classic MySQL protocol and X Protocol (33060 default port number). When the server supports SSL connections, PEM and PFX certificates are permitted with X Protocol; PFX certificates are permitted with the classic MySQL protocol. Use either MySQL Connections Manager or Server Explorer in Visual Studio to add or modify classic MySQL protocol connections. To add or modify X Protocol connections, use MySQL Connections Manager only (see Section 4.2, "Connect Using MySQL Connections Manager").

MySQL Connections Manager was introduced in the MySQL for Visual Studio 2.0 release series to simplify the creation and management of MySQL server connections within Visual Studio. From MySQL Connections Manager, you have the option to migrate all stored connections to MySQL Workbench (if it is installed), making MySQL Workbench a central repository for MySQL connections.

Basic Connections in Visual Studio

A basic connection is either unencrypted or encrypted (in MySQL 8.0, SSL is enabled by default) and the connection is made using standard TPC/IP, which is the default connection method in MySQL for Visual Studio to connect to the MySQL RDBMS. Basic connections are easy to configure, particularly if the client application and MySQL server are on the same host computer or operate within the same local area network. For instructions on how to create a basic connection to MySQL from within Visual Studio, see Basic Connections with Server Explorer or Basic Connections with MySQL Connections Manager.

SSL Connections in Visual Studio

MySQL Server uses the PEM format for certificates and private keys. Connector/NET 8.0.17 enables the use of either PEM or PFX certificates with the classic MySQL protocol when Server Explorer in Visual Studio (with MySQL for Visual Studio 1.2.9 or higher) is used to add or modify the data connection.

Both the MySQL server and the client must be configured to enable SSL encryption (see Using Encrypted Connections). In addition to providing the paths to certificate files, the client can specify the SSL mode to use for connections. When using Server Explorer, the SSL mode value is set with an advanced property. MySQL Connections Manager provides the **Use SSL Encryption** drop-down list

with similar values. The following table describes the optional SSL values to select (and the files to specify) with each tool.

Server Explorer	Connections Manager	Description
None	No	Do not use SSL. No SSL files are required.
Preferred	If Available	Use SSL if the server supports it, but allow connection in all cases. Preferred is the default value with Connector/NET 8.0.11 or higher. No SSL files are required; however, providing the SSL CA file (with either a .pem or .pfx file extension) is the best practice for connections made to MySQL 8.0 servers.
Required	Require	Always use SSL and deny a connection if the server does not support SSL. Do not perform server certificate validation. No SSL files are required.
VerifyCA	Require and Verify CA	Always use SSL. Validate the certificate authorities (CA), but tolerate a name mismatch. Requires the SSL CA file. Use either a .pem or .pfx file extension.
VerifyFull	Require and Verify Identity	Always use SSL and fail if the host name is not correct. Requires valid SSL CA, SSL Cert, and SSL Key files for PEM (.pem file extension). Requires the SSL CA file for PFX certificates (.pfx file extension).

Table 4.1 SSL Mode	Values
--------------------	--------

4.1 Connect Using Server Explorer

This section describes how to create a new connection with or without encryption. After a connection is successfully established, all settings are saved for future use. When you start Visual Studio for the next time, open the connection node in Server Explorer to establish a connection to the MySQL server again. The instructions for setting up connections are provided in these sections.

- Basic Connections with Server Explorer
- SSL Connections with Server Explorer

To modify or delete a connection, use the Server Explorer context menu for the corresponding node. You can modify any of the settings by overwriting the existing values with new ones. The connection may be modified or deleted only if no active editor for its objects is opened; otherwise, you may lose your data.

Basic Connections with Server Explorer

To create a connection to an existing MySQL database:

- 1. Start Visual Studio and open the Server Explorer by clicking Server Explorer from the View menu.
- 2. Right-click the Data Connections node and then select **Add Connection**.
- 3. From the Add Connection window, click **Change** to open the Change Data Source dialog box, then do the following:
 - a. Select M_{ySQL} Database from the list of data sources. Alternatively, you can select <other>, if M_{ySQL} Database is absent.
 - b. Select .NET Framework Data Provider for MySQL as the data provider.
 - c. Click **OK** to return to the Add Connections window.
- 4. Type a value for each of the following connection settings:
 - Server name:

The name or IP address of the computer hosting the MySQL server. For example, localhost if the MySQL server is installed on the local computer.

• User name:

The name of a valid MySQL database user account.

• Password:

The password of the user account specified previously. Optionally, click **Save my password** to avoid having to enter the password in the Modify Connections window for each connection session.

• Database name:

The database to use as the default schema. You can leave the name blank and select a default schema later from the list of schema on the target server.

You can also set the port to connect with the MySQL server by clicking **Advanced**. To test connection with the MySQL server, set the server host name, the user name and the password, and then click **Test Connection**. If the test succeeds, the success confirmation dialog box opens.

 Click OK to create and store the new connection. The new connection with its tables, views, stored procedures, stored functions, and loadable functions now appears within the Data Connections node of Server Explorer.

SSL Connections with Server Explorer

You can enable SSL encryption for a classic MySQL protocol connection from Server Explorer. Both SSL PEM and PFX certificate formats are permitted. In addition, MySQL Connector/NET version 8.0.17 must be installed on the client host.

To create a connection with SSL encryption enabled:

1. Add and test a new basic connection (see Basic Connections with Server Explorer.

To modify an existing connection, right-click the connection node within **Data Connections** and select **Modify Connection**.

- In the Add (or Modify) Connection window, click Advanced to open the Advanced Properties dialog box. Advanced properties are categorized and presented in a two-column list, showing the property name and value field (or value list). Default values are not shown.
- 3. In the **Connection** property category, do the following:

- a. Select **Connection Protocol** and then select <u>Socket</u> from the value list (use the arrow in the value field to open the list). This property sets the connection protocol to use standard TCP/IP.
- b. Select **Port** and type 3306 in the value field.
- 4. In the **Authentication** property category, select Ssl Mode and choose the type of mode that best represents your connection. For a description of each mode and the required files, see Table 4.1, "SSL Mode Values".
 - For SSL PEM, use the **Ssl CA**, **Ssl Cert**, and **Ssl Key** properties to add the required files (must have a .pem file extension).
 - For SSL PFX (PKCS#12 format), use the **Certificate File**, **Certificate Password**, **Certificate Store Location**, and **Certificate Thumbprint** properties to add the required information or files (must have a .pfx file extension).

Click **OK** to close the Advanced Properties dialog box.

- 5. Click **Test Connection** and adjust the property values if needed.
- 6. Click **OK** to create and store the new or modified connection.

4.2 Connect Using MySQL Connections Manager

This section describes how to create a new connection with or without encryption. After a connection is successfully established, all settings are saved for future use. When you start Visual Studio for the next time, open the connection node in Server Explorer to establish a connection to the MySQL server again. The instructions for setting up connections are provided in these sections.

- Basic Connections with MySQL Connections Manager
- SSL Connections with Connections Manager

To modify or delete a connection, start MySQL Connections Manager and select an existing connection. You can modify any of the settings by overwriting the existing values with new ones. The connection may be modified or deleted only if no active editor for its objects is opened; otherwise, you may lose your data.

Basic Connections with MySQL Connections Manager

To create a connection to an existing MySQL database:

1.

Click I in the Server Explorer menu bar to open the MySQL Connections Manager window.

- 2. Click Add New Connection to create a new connection.
- 3. Provide a unique name for the new connection in the required **Connection Name** field.
- 4. Confirm that TCP/IP (standard) is selected as the connection method.
- 5. In the **Parameters** tab, add or modify the following information:
 - Hostname: and Port:

The name (or IP address) and port number of the computer hosting the MySQL server. For example, localhost if the MySQL server is installed on the local computer. The default port value is 3306.

• Username:

The name of a valid MySQL user account.

• Password:

The password of the user account specified previously.

• Default Schema:

A default schema name is required to open the connection. Select a name from the list.

- 6. Click Test Connection to verify the connection information.
- Click OK to create and store the new connection. The new connection now appears in MySQL Connections Manager. Optionally, select the new connection from Connections Manager to add its tables, views, stored procedures, stored functions, and loadable functions to the Data Connections node in Server Explorer.

SSL Connections with Connections Manager

X Protocol connections can be configured to use SSL with PEM or PFX files. Connections must be created using the MySQL Connections Manager, which is supported by MySQL for Visual Studio 2.0.5 (or higher). MySQL Workbench provides similar support to add PEM files, but it does not support certificates in PFX format.

ق	

1.

Note

X Plugin must be installed to support connections using X Protocol (see Setting Up MySQL as a Document Store).

In contrast, classic MySQL protocol connections support SSL PFX files only when you use MySQL Connections Manager to configure the connection.

To create a connection to a MySQL database using SSL encryption:

Click in the Server Explorer menu bar to open the MySQL Connections Manager window.

- 2. Add and test a new basic connection (see Basic Connections with MySQL Connections Manager) or double-click an existing connection to modify it.
- In the SSL tab, add a path to the SSL CA, SSL CERT, and SSL Key files within the SSL PEM area. Click Test Connection to verify the connection information. The next figure shows an example of SSL PEM values within this tab.

* Connection Name:	ssl_connection		Type a name for the connection
Connection Method:	TCP/IP (standard)		 Method to use to connect to the RDBM
Connection Status:	2 Unknown		
Parameters SSL	Advanced		
Use SSL Encryption:	If available	•	
SSL PEM			
SSL CA File:	C:\certs\ca-cert.pem	Path to Cerl	tification Authority file for SSL.
SSL CERT File:	C:\certs\server-cert.pem	Path to Clie	nt Certificate file for SSL.
SSL Key File:	C:\certs\server-key.pem	Path to Clie	nt Key file for SSL.
	See more information about creating SSL Certificate and	Key files.	
SSL PFX			
File Based:		Path to PFX	Certificate file for SSL.
Store Based:	Work with a Certificate stored in the local computer.		
Thumbprint:		Optional Ce	ertificate Thumbprint.
	See more information about creating SSL PFX files.		

Figure 4.1 MySQL Server Connection SSL Tab

To configure SSL PFX (PKCS#12 format), select either the file-based or store-based option. Use the .pfx file extension to enable the correct certificate format.

4. Click OK to save the connection and return to the MySQL Connections Manager window.



Note

You must close and then reopen **MySQL Connections Manager** to apply the default schema.

5. Double-click the new SSL connection to add it to Server Explorer (or select the connection and click **OK**). To open the JavaScript or Python code editor, right-click the connection in Server Explorer and then select an editor.

Chapter 5 Editing

Table of Contents

Making edits in MySQL for Visual Studio.

After you have established a connection, for example, using the **Connect to MySQL** toolbar button, you can use auto-completion as you type or by pressing **Control + J**. Depending on the context, the auto-completion dialog can show the list of available tables, table columns, or stored procedures (with the signature of the routine as a tooltip). Typing some characters before pressing **Control + J** filters the choices to those items starting with that prefix.

5.1 MySQL SQL Editor

The MySQL SQL Editor can be opened from the MySQL toolbar or by clicking **File**, **New**, and **File** from the Visual Studio main menu. This action displays the **New File** dialog.

New File		?	×
▲ Installed	Sort by: Default Search (Ctrl+E)		ρ.
General ▶ Web Visual C++ Script MySQL Python	MySQL Script MySQL Type: MySQL A blank mysql file.		
Graphics Online			

Figure 5.1 MySQL SQL Editor - New File

From the **New File** dialog, select the MySQL template, select the **MySQL Script** document, and then click **Open**.

The MySQL SQL Editor will be displayed. You can now enter SQL code as required, or connect to a MySQL server. Click the **Connect to MySQL** button in the MySQL SQL Editor toolbar. You can enter the connection details into the **Connect to MySQL** dialog that is displayed. You can enter the server name, user ID, password and database to connect to, or click the **Advanced** button to select other connection string options. Click the **Connect** button to connect to the MySQL server. To execute your SQL code against the server, click the **Run SQL** button on the toolbar.

	MySQL Script1.mysql" - Microsoft Visu Edit View Project Debug T - ○ ② - ② - ③ ■ ■ ⑦ - ○ ③ Server Explorer · · · · · · · · · · · · · · · · · ·	al Studio Feam MySQ 🔗 •	Tools	Test Ar 	halyze Window	∀ Help Mttach 🎜 -	 오uick Launch (C 13 개 萬 · 	trl+Q) 오	- C X Sign in C
	 address address address ategory <	Res MySQ	ult1 area 1 2 3 4 5 6 7 8 9 10 11 12 13 14	tor_jd	first_name PENELOPE NICK ED JENNIFER JOHNNY BETTE GRACE MATTHEW JOE CHRISTIAN ZERO KARL UMA VIVIEN Action SELECT * FROM	last_name GUINESS WAHLBERG CHASE DAVIS LOLLOBRIGIDA NICHOLSON MOSTEL JOHANSSON SWANK GABLE CAGE BERRY WOOD RERGEN	last_update 2/15/2006 4:34	Duration 0.00 sec	Result Grid Field Types Execution Plan Query Stats
Ready	Ln 2	Col 22		Ch 22	1	NS		↑ Add to Source	e Control 🔺 🔡

Figure 5.2 MySQL SQL Editor - Query

The results from queries are displayed in the **Results** tab and relevant information appears in the **MySQL Output** pane. The previous example displays the query results within a Result Grid. You can also select the Field Types, Execution Plan, and Query Stats for an executed query.

5.2 Code Editors

This section explains how to make use of the code editors in MySQL for Visual Studio.

Introduction

MySQL for Visual Studio provides access to MySQL objects and data without forcing developers to leave Visual Studio. Designed and developed as a Visual Studio package, MySQL for Visual Studio integrates directly into Server Explorer providing a seamless experience for setting up new connections and working with database objects.

The following MySQL for Visual Studio features are available as of version 2.0.5:

- JavaScript and Python code editors, where scripts in those languages can be executed to query data from a MySQL database.
- Better integration with the Server Explorer to open MySQL, JavaScript, and Python editors directly from a connected MySQL instance.
- A newer user interface for displaying query results, where different views are presented from result sets returned by a MySQL server like:
 - Multiple tabs for each result set returned by an executed query.

- Results view, where the information can be seen in grid, tree, or text representation for JSON results.
- Field types view, where information about the columns of a result set is shown, such as names, data types, character sets, and more.
- Query statistics view, displaying information about the executed query such as execution times, processed rows, index and temporary tables usage, and more.
- Execution plan view, displaying an explanation of the query execution done internally by the MySQL server.

Getting Started

The minimum requirements are:

- MySQL for Visual Studio 2.0.5
- Visual Studio 2012
- MySQL 5.7.12 with X Plugin enabled (Code editors are not supported for use with MySQL 8.0 servers.)

To enable X Plugin for MySQL 5.7:

- 1. Open a command prompt and navigate to the folder with your MySQL binaries.
- 2. Invoke the mysql command-line client:

mysql -u *user* -p

3. Execute the following statement:

mysql> INSTALL PLUGIN mysqlx SONAME 'mysqlx.dll';



Important

The mysql.session user must exist before you can load X Plugin. mysql.session was added in MySQL 5.7.19. If your data dictionary was initialized using an earlier version you must run the mysql_upgrade procedure. If the upgrade is not run, X Plugin fails to start with the following error message:

There was an error when trying to access the server with user: mysql.session@localhost. Make sure the user is present in the server and that mysql_upgrade was ran after a server update.

Opening a Code Editor

Before opening a code editor that can run scripts against a MySQL server, a connection needs to be established:

- 1. Open the Server Explorer pane by clicking View.
- 2. Right-click the Data Connections node and select Add Connection.
- In the Add Connection window, make sure the MySQL Data Provider is being used and fill in all the information.



Note

To enter the port number, click **Advanced** and set the Port among the list of connection properties.

- 4. Click **Test Connection** to ensure you have a valid connection, then click **OK**. The new connection with its tables, views, stored procedures, and functions now appears within the Data Connections list of Server Explorer.
- 5. Right-click the connection, select **New MySQL Script**, and then select the language of the editor (JavaScript or Python) to open a new MySQL script tab in Visual Studio.

To create a new editor for existing MySQL connections, you need only to do the last step.

Using the Code Editor

An open editor includes a toolbar with the actions that can be executed. The first two buttons in the toolbar represent a way to connect or disconnect from a MySQL server. If the editor was opened from the Server Explorer, the connection will be already established for the new script tab.

The third button is the **Run** button, the script contained in the editor window is executed by clicking it and results from the script execution are displayed in the lower area of the script tab.

5.3 Editing Tables

MySQL for Visual Studio contains a table editor, which enables the visual creation and modification of tables.

The Table Designer can be accessed through a mouse action on table-type node of Server Explorer. To create a new table, right-click the **Tables** node (under the connection node) and choose **Create Table** from the context-menu.

To modify an existing table, double-click the node of the table to modify, or right-click this node and choose the **Design** item from the context menu. Either of the commands opens the Table Designer.

Figure 5.3 Editing New Table

	mysql://localhost/sakila/Table1* - N	/icro	soft Visual Studio (Administrator)	Quick Launch (Ctr	I+Q) 🔎 🗕	□ ×
FILE	EDIT VIEW PROJECT DEB	UG	TEAM SQL TABLE DESIGNER	TOOLS TEST	ANALYZE WINDOW	/ HELP
8	- 0 🐘 - 🖄 🖬 🛄 🗐 -	CI .	Attach	ŝ⊾n≣ l to 2	6 1 9 9 9	
2 N R				≢s ⊫ nel w	22 N N N N T	
i Y	N * 16 🖷 🕅 🖬 🛨					
Too	Server Explorer	my	:ql://localhost/sakila/Table1* + ×			-
odlo	🚱 × † 🖆 👘 🕼		Column Name	Data Type	Allow Nulls	
×	Data Connections		exampleid	int		
	 Iocalhost(sakila) 	•	example	varchar(10)	V	
	🖌 🛁 Tables	*				
	actor					
	address	-				
	▷	C	olumn Properties			
	▷ III city	G	₩ 4 1 m			
	End to the second se					
	▷ III film		Character Set			
	Film_actor		Collation			
	film_category		General			
	▷ III film_text		ColumnName	example		
	Inventory		Data Type	varchar(10)		
	▷ ⊞ navment		Default Value			
	> III rental		Miscellaneous			
	▷ III staff		Comment			
	Image: Store store		Options			
	Views		Allow Nulls	Yes		
	Stored Procedures		Autoincrement	No		
	Stored Functions		Is Unsigned	No		
	D UDFs		IS Zeronn	INO		
	D Servers					
	SharePoint Connections					
		P	llow Nulls			
Read	у					

Table Designer consists of the following parts:

- **Columns Editor** a data grid on top of the Table Designer. Use the Columns grid for column creation, modification, and deletion. For additional information, see Section 5.3.1, "Column Editor".
- Indexes/Keys window a window opened from the Table Designer menu to manage indexes.
- Relationships window a window opened from the Table Designer menu to manage foreign keys.
- **Column Properties** panel a panel near the bottom of the Table Designer. Use the Column Properties panel to set advanced column options.
- **Properties** window a standard Visual Studio Properties window, where the properties of the edited table are displayed. Use the Properties window to set the table properties. To open, right-click on a table and select the **Properties** context-menu item.

Each of these areas is discussed in more detail in subsequent sections.

To save changes you have made in the Table Designer, press either **Save** or **Save All** on the Visual Studio main toolbar, or press **Control + S**. If you have not already named the table, you will be prompted to do so.

Figure 5.4 Choose Table Name

OK Cancel

After the table is created, you can view it in the Server Explorer.

Figure 5.5 Newly Created Table



The Table Designer main menu lets you set a primary key column, edit relationships such as foreign keys, and create indexes.

Figure 5.6 Table Designer Main Menu

sual Studio	(Adm	inistrator)	Quick Lau	nch (Ctrl	+Q)		
VI SQL	TAB	LE DESIGNER	TOOLS	TEST	AN		
Attach	~ 0	Set Primary K	ey		- 1		
	謵	Relationships					
lı//localbor	归	Indexes/Keys					
Col	۳.	Generate Cha	nge Script		H		

5.3.1 Column Editor

You can use the Column Editor to set or change the name, data type, default value, and other properties of a table column. To set the focus to a needed cell of a grid, use the mouse click. Also you can move through the grid using **Tab** and **Shift + Tab** keys.

To set or change the name, data type, default value and comment of a column, activate the appropriate cell and type the desired value.

To set or unset flag-type column properties (NOT NULL, auto incremented, flags), select or deselect the corresponding check boxes. The set of column flags depends on the data type of the column.

To reorder columns, index columns or foreign key columns in the Column Editor, select the whole column to reorder by clicking the selector column on the left of the column grid. Then move the column by using **Control+Up** (to move the column up) or **Control+Down** (to move the column down) keys.

To delete a column, select it by clicking the selector column on the left of the column grid, then press the **Delete** button on a keyboard.

5.3.2 Column Properties

The **Column Properties** tab can be used to set column options. In addition to the general column properties presented in the Column Editor, in the **Column Properties** tab you can set additional properties such as Character Set, Collation and Precision.

Figure 5.7 Column Properties Panel

Δ	mysql://localhost/sakila/actor - Micros	oft Visua	l Studio (Admir	istrator)	Quick L	aunch (Ctr	(l+Q))	P -		х
FILE	EDIT VIEW PROJECT DEBUG	TEAN	1 SQL TA	BLE DESIGNER	TOOLS	5 TEST	A	NALYZE	WINDOW	HEL	P
8.	- 0 📅 - 🗳 💾 💾 9 - C		Attach 🗝	Set Primary Ke	ey			li Si	에 이		
			±7	Relationships	-				Ŧ		
8 V				Indexes/Veys							
Too	Server Explorer	mysql:	//localhost	indexes/ Keys.			_				Ŧ
boy	🗐 📷 📑 🚏 🗆 🔇		Coli 🗐	Generate Cha	nge Scrip)t		Allow	Nulls		
	Data Connections	₩ ac	tor_id		sma	llint					
	 Relocalhost(sakila) 	fin	st_name		varc	har(45)					
	Tables	las	t_name		varc	har(45)					
	▷ III actor	las	t_update		time	stamp					
	address	*									
	▷ ⊞ category										
	b m country	Colu	mn Properties								
	▷ III customer	B -1									
	▷ 🌐 film	ŏ.	Ż↓ 🖾								
	Film_actor	4	Encoding								
	▷ I film_category		Character Set								
	Image: Second		Collation								
	Implanding	4	ColumnNamo		-	ctor id					
	▷ III mytable		Data Type		-	mallint					
	▷ III payment		Default Value		-						
	rental	4	Misc								
	▷ III staff		Precision		5						
	▷ III store		Scale		0						
	Views Stored Procedures	4	Miscellaneous								
	Stored Functions		Comment								
	D UDFs	4	Options								
	Iccalhost(world)	-	Allow Nulls		Ν	lo					
	Servers		Autoincrement		Y	es					
	SharePoint Connections		s Unsigned		Y	es					
			s Zerotili		r	10					
		Cha	racter Set								
Read	ý										

5.3.3 Table Properties

To bring up Table Properties select the table and right-click to activate the context menu. Select **Properties**. The **Table Properties** dockable window will be displayed.

mysql://localhost/sakila/actor - Micros FILE EDIT VIEW PROJECT DEBUG • ○ □ · □ □ · □ □ □ □ □ · □ · □ \[\] \[\[\]	oft Visual Studio (Administrator) TEAM SQL TOOLS TEST - Attach] 20 -	ANALYZE WINDOW 。	Quick Launch (C HELP 웨 개 곳	trl+Q) P = 🗆 X
Server Explorer ♥	mysql://localhost/sakila/actor + × Column Name actor_id first_name last_name last_aname fable Script gger y ata Ctrl+C Del d Alt+Enter t Alt+Enter d Alt+Enter d Alt+Enter t Alt+Enter	Data Type	Auto Increment Average Row Length Catalog Check date Check date Checksum Collation Comment Create Options Create Options Creation Time Data Free Data Length Max Data Length Max Data Length Max Data Length Name Row Format Schema Table rows Table type Update date Version	 4 × 201 81 utf8_general_ci 4/2/2014 6:24:17 PM 0 16384 InnoDB 16384 0 actor Compact sakila 200 BASE TABLE 10
Ready			e name of the database of	oject.

Figure 5.8 Table Properties Panel

The following table properties are listed under table properties, and many are fully described in the SHOW TABLE STATUS MySQL documentation.

- Auto Increment: The next AUTO_INCREMENT value.
- Average Row Length: The AVG_ROW_LENGTH value.
- Character Set: The Charset value.
- Collation: The Collation value.
- Comment: Table comments.
- Data Directory: The directory used to store data files for this table.
- Index Directory: The directory used to store index files for this table.
- Maximum Rows: Value of the MAX_ROWS property.
- Minimum Rows: Value of the MIN_ROWS property.
- Name: Name of the table.
- Row Format: The ROW_FORMAT value.
- Schema: The schema this table belongs to.
- Storage Engine.



Note

In MySQL 5.5 and higher, the default storage engine for new tables is InnoDB. See Introduction to InnoDB for more information about the choice of storage engine, and considerations when converting existing tables to InnoDB.

The property Schema is read-only.

Figure 5.9 Table Properties

e Edit View Tools Test Window H	telp					
1 • 🗉 • 💕 🖌 🕼 🔏 🖄 🛍 👏	· (* · [] · [] · [] · · ·		· 🙆	• 💀 🕾 🗷 •] • ₂	
例をす 毎年 回る 目を	G & B & B & B & B & B					
Server Explorer 🗸 🦊	X mysql://localhtest/testtable	Start Page		• X	Properties	- ₹
2 🖻 💐 💐	Column Name	Data Type	Allow Nulls	^	MySql.Data.VisualStuc	lio.DbObjects.Table
Data Connections	cell	int			En 61 / ED	
B localhost(test)	an12	watch as (10)				
🖃 🛄 Tables	0012	varchar(10)			E (Identity)	and the second sec
😑 🛄 testtable	PV col3	int			Name	testtable
- col1	*			~	Denema	0050
2002					Commert	
Meus	Column Properties				E Row	
Stored Procedures	8m A1 (177)			1	Average Row Lengt	
Stored Functions	2.				Maximum Rows	
B UDFs	E Encoding				Minimum Rows	
B Servers	Character Set				Row Format	Compact
	Collation				E Storage	
	General		- 10		Data Directory	
	ColumnName		col3		Index Directory	
	Data type		int		Storage Engine	InnoDB
	E Miss				E Table	
	Dracision		10		Auto Increment	1
	Scale		0		Table Options	
	E Miscellaneous		0		Character Set	latin1
	Comment				Collation	
	Contions					
	Allow Nulls		No			
	Autoincrement		Yes			
	Is Unsigned		No		Average Row Lengt	h
	Is Zerofill		No		The average row lengt	h for this table. Set this only
	Default Value					
					Properties 👧 Solut	tion Explorer

5.4 Editing Views

To create a new view, right-click the Views node under the connection node in Server Explorer. From the node's context menu, choose the **Create View** command. This command opens the SQL Editor.

FILE EDIT VIEW DEBUG TEAM SQL TOOLS TEST ANALYZE WINDOW HELP Image: Image	¶ _∓
Server Explorer	*

Figure 5.10 Editing View SQL

You can then enter the SQL for your view, and then execute the statement.

To modify an existing view, double-click a node of the view to modify, or right-click this node and choose the **Alter View** command from a context menu. Either of the commands opens the SQL Editor.

All other view properties can be set in the **Properties** window. These properties are:

- **Catalog**: The TABLE_CATALOG.
- Check Option: Whether or not the WITH CHECK OPTION clause is present. For additional information, see The View WITH CHECK OPTION Clause.
- Definer: Creator of the object.
- **Definition**: Definition of the view.
- Is Updatable: Whether or not the view is Updatable. For additional information, see Updatable and Insertable Views.
- Name: The name of the view.
- Schema: The schema which owns the view.
- Security Type: The SQL SECURITY value. For additional information, see Stored Object Access Control.

Some of these properties can have arbitrary text values, others accept values from a predefined set. In the latter case, set the desired value with an embedded combobox.

The properties Is Updatable and Schema are read-only.

To save changes you have made, use either **Save** or **Save All** buttons of the Visual Studio main toolbar, or press **Control + S**.

FILE	mysql://localhost/sakila/film_list - Microsoft Visual Studio (Administrator) EDIT VIEW DEBUG TEAM SQL DATA TOOLS TEST ANALYZE WINDOW HELP • • ◎ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Quick Launch (Ctrl+Q)	ρ = ¤ ×
To	Server Explorer 🗾 🔻 🔻 mysql://localhost/sakila/film_list 😐 🗶 👻	Properties	
lbox	to × t∰ tm gF [p CREATE VIEW `film_list` AS +	film_list View -	
	Bata Connections Select 'sakila'.'film'.'film_id' AS 'FID','sakila'.'		
	▶ Tables ▲ ✓ Views ▶ □ actor_info ▶ □ customer_list ▶ □ film_list ▶ □ sides_by_film_catego ▶ □ sales_by_store	(Identifier)	
		Catalog	
		Name	film_list
		Schema	sakila
		E Advanced	NOUE
		Check Option	NONE
		Definer	root@localnost
		Is Updatable	NU
	▷ □ staff_list	Deficition	and a subsection status status care
	Stored Procedures		select sakila . film . film_id /
	Stored Functions	E Security	DEENER
	 ▶ Servers ▶ SharePoint Connections 		
		The name of the database object.	
	↓ 100 % - ↓		
Read	y		æ

Figure 5.11 View SQL Saved

5.5 Editing Indexes

Indexes management is performed using the Indexes/Keys dialog.

To add an index, select **Table Designer**, **Indexes/Keys...** from the main menu, and click **Add** to add a new index. You can then set the index name, index kind, index type, and a set of index columns.

Figure 5.12 Indexes/Keys Dialog

Indexes/Keys				X	
Selected Primary/Unique Key or Index:					
IX_mytable	4	(General)			
PK_mytable		Columns	exampleid (ASC)		
		Is Unique	No		
		Туре	Index		
4	4	Identity			
		(Name)	PK_mytable	=	
		Comment			
	4	Misc			
	Is Full-text Index/Key	No			
		Is Spatial Index/Key	No		
	Parser				
	Storage				
		Index Algorithm	RTRFF	-	
0	(N	(Name)			
		The name of this index/key			
Add Delete			Close		

To remove an index, select it in the list box on the left, and click the **Delete** button.

To change index settings, select the needed index in the list box on the left. The detailed information about the index is displayed in the panel on the right hand side. Change the desired values.

5.6 Editing Foreign Keys

You manage foreign keys for InnoDB tables using the Foreign Key Relationships dialog.

To add a foreign key, select **Table Designer**, **Relationships...** from the main menu. This displays the **Foreign Key Relationship** dialog. Click **Add**. You can then set the foreign key name, referenced table name, foreign key columns, and actions upon update and delete.

To remove a foreign key, select it in the list box on the left, and click the **Delete** button.

To change foreign key settings, select the required foreign key in the list box on the left. The detailed information about the foreign key is displayed in the right hand panel. Change the desired values.
Foreign Key Relationships						x
Selected Relationship:						
fk_address_city	Name:	fk_address_city				
	Referenced Table:	city				•
	Update:	Cascade	•	Delete:	Restrict	•
	Columns			Match:		•
	address		city			
	city_id	•	city_id			
Add Delete					Clos	e

5.7 Editing Stored Procedures and Functions

To create a new stored procedure, right-click the **Stored Procedures** node under the connection node in Server Explorer. From the node's context menu, choose the **Create Routine** command. This command opens the SQL Editor.

mysql://localhost/sakila/StoredProced	ure1* - Microsoft Visual Quick Launch (Ctrl+Q) 🔑 🗕 🗖	×
FILE EDIT VIEW DEBUG TEAM ⓒ - ○ □ - ▲ □ □ ■ ■ • • - ○ ♡ - ○ □ - ▲ □ ■ ■ ■ . • • • - ○	SQL TOOLS TEST ANALYZE WINDOW HELP	개 🕌
Server Explorer Server Explorer	<pre>mysql://localhost/la/StoredProcedure1* + * CREATE PROCEDURE StoredProcedure1() /* (parameter1 INT OUT parameter2 datatype) */ BEGIN END 100 % - 4</pre>	* * *
Ready	Ln1 Col1 Ch1 IN	IS a

Figure 5.14 Edit Stored Procedure SQL

To create a new stored function, right-click the **Functions** node under the connection node in Server Explorer. From the node's context menu, choose the **Create Routine** command.

To modify an existing stored routine (procedure or function), double-click the node of the routine to modify, or right-click this node and choose the **Alter Routine** command from the context menu. Either of the commands opens the SQL Editor.

Routine properties can be viewed in the Properties window. These properties are:

- Body
- Catalog
- Comment
- Creation Time
- Data Access
- Definer
- Definition
- External Name
- External Language
- Is Deterministic
- · Last Modified
- Name
- Parameter Style
- Returns
- Schema
- Security Type
- Specific Name
- SQL Mode
- SQL Path
- Type

Some of these properties can have arbitrary text values, others accept values from a predefined set. In both cases, these values cannot be set from the properties panel.

You can also set all the options directly in the SQL Editor, using the standard CREATE PROCEDURE or CREATE FUNCTION statement.

To save changes you have made, use either **Save** or **Save All** buttons of the Visual Studio main toolbar, or press **Control + S**.

Figure 5.15 Stored Procedure SQL Saved

00/00 Server Explorer ▼ ♀ × mysql://localhost/sakila/film_in_stock ⇒ × ▼ 00/00 × ** € CREATE DEFINER* root'@'localhost' PROCEDURE `film_in_+ 00/00 × ** € CREATE DEFINER* root'@'localhost' PROCEDURE `film_in_+ 00/00 × ** € CREATE DEFINER* root'@'localhost' PROCEDURE `film_in_+	Properties film_in_stock Stored Procedure	- i X
Image: Solution of the second sec	film_in_stock Stored Procedure	
READS SQL DATA		•
✓ all Data Connections	211 61 74	
Iocalhost(sakila) SELECT inventory id	D: 2*	
FROM inventory	Catalog	daf
Views WHERE film_id = p_film_id	Name	film in stock
AND store_id = p_store_id	Schema	sakila
b E film_in_stock AND Inventory_in_stock(Inventory_id);	Tune	PROCEDURE
<pre>> In film_not_in_stock SELECT FOUND_ROWS() INTO p_film_count;</pre>		
D E rewards_report END	Body	SOL
s = upper	Comment	
b E localhost(world)	Creation Time	4/2/2014 8:59:17 AM
b E Servers	Data Access	
S SharePoint Connections	Definer	root@localhost
	External Name	
	ExternalLanguage	
	Is Deterministic	NO
	Last Modified	4/2/2014 8:59:17 AM
	Parameter Style	SQL
	Specific Name	film_in_stock
	SQL Mode	STRICT_TRANS_TABLES, STRICT_ALL_TABI
	SQL path	
	🗆 Base	
	Definition	BEGIN SELECT inventory_id FROM inv
	🗉 Data Type	
	Returns	
	Security	
	Security Type	DEFINER
100 % - 4	Name The name of the database object.	

To observe the runtime behavior of a stored routine and debug any problems, use the Stored Procedure Debugger. For additional information, see Chapter 11, *Debugging Stored Procedures and Functions*.

5.8 Editing Triggers

To create a new trigger, right-click the node of the table in which to add the trigger. From the node's context menu, choose the **Create Trigger** command. This command opens the SQL Editor.

To modify an existing trigger, double-click the node of the trigger to modify, or right-click this node and choose the **Alter Trigger** command from the context menu. Either of the commands opens the SQL Editor.

To create or alter the trigger definition using SQL Editor, type the trigger statement in the SQL Editor using standard SQL.



Note

Enter only the trigger statement, that is, the part of the CREATE TRIGGER query that is placed after the FOR EACH ROW clause.

All other trigger properties are set in the Properties window. These properties are:

- Definer
- Event Manipulation
- Name
- Timing

Some of these properties can have arbitrary text values, others accept values from a predefined set. In the latter case, set the desired value using the embedded combo box.

The properties Event Table, Schema, and Server in the Properties window are read-only.

To save changes you have made, use either **Save** or **Save All** buttons of the Visual Studio main toolbar, or press **Control + S**. Before changes are saved, you will be asked to confirm the execution of the corresponding SQL query in a confirmation dialog.

To observe the runtime behavior of a stored routine and debug any problems, use the Stored Procedure Debugger. For additional information, see Chapter 11, *Debugging Stored Procedures and Functions*.

Chapter 6 Using the ADO.NET Entity Framework

ADO.NET Entity Framework provides an Object Relational Mapping (ORM) service, mapping the relational database schema to objects. The ADO.NET Entity Framework defines several layers, these can be summarized as:

- Logical this layer defines the relational data and is defined by the Store Schema Definition Language (SSDL).
- **Conceptual** this layer defines the .NET classes and is defined by the Conceptual Schema Definition Language (CSDL)
- **Mapping** this layer defines the mapping from .NET classes to relational tables and associations, and is defined by Mapping Specification Language (MSL).

MySQL Connector/NET integrates with Visual Studio to provide a range of helpful tools to assist development.

A full treatment of ADO.NET Entity Framework is beyond the scope of this manual. If you are unfamiliar with ADO.NET, review the Microsoft ADO.NET Entity Framework documentation.

Tutorials on getting started with ADO.NET Entity Framework are available. See Tutorial: Using an Entity Framework Entity as a Windows Forms Data Source and Tutorial: Data Binding in ASP.NET Using LINQ on Entities.

Chapter 7 MySQL Application Configuration Tool

Table of Contents

7.1 Entity Framework	37
7.2 Web Providers	39
7.3 Using the MvSQL Connection String Editor	44

The MySQL Application Configuration tool (previously named MySQL Website Configuration) enables you to configure options for the following categories with MySQL as the database provider: entity framework, membership (advanced or simple), roles, profiles, session state, site map, and web personalization. With this MySQL for Visual Studio feature, you can configure multiple provider pages in sequence and the tool modifies your configuration files accordingly.

Editing configuration files manually can be problematic. The MySQL Application Configuration tool simplifies the task by providing the relevant options for each web (or application) project in a graphical, wizard-like format that permits you to navigate among the provider categories. The tool then adds, modifies, or removes entries from the App.config file, which applies to settings for non-web projects only, and the Web.config file for your web-based projects.

The MySQL Application Configuration tool appears as a small icon on the Solution Explorer toolbar in Visual Studio, as shown in the following figure. The icon is visible only when a project is active (with a connection to MySQL), and Connector/NET is installed. Clicking the MySQL Application Configuration icon launches the tool and displays the options for setting up Entity Framework support.



Figure 7.1 MySQL Application Configuration Tool

The remainder of this chapter describes each item that you can configure using the MySQL Application Configuration tool.

7.1 Entity Framework

The MySQL Application Configuration tool downloads the latest entity framework and MySQL Connector/NET assemblies from the NuGet gallery to keep the assembly versions synchronized. After the configuration is applied, the tool adds the following references to your project:

- EntityFramework
- EntityFramework.SqlServer
- MySql.Data
- MySql.Data.EntityFramework

Unlike the other web providers supported by this tool, the entity framework options can be applied to either non-web or web applications. The context of your project determines which configuration file the tool updates. The next sections describe the details for setting options with non-web and web projects.



Note

MySQL for Visual Studio does not support Entity Framework Core. For the current support profile, see Minimum Requirements.

Setting Options for Non-Web Applications

The MySQL Application Configuration tool synchronizes the latest version of MySQL Connector/ NET and Entity Framework 6 assemblies and then adds the required references to your application's App.config file. When started in the context of a non-web application, the tool lists entity framework as the only item and MySQL for Visual Studio 1.2.9 (or higher) is a prerequisite. For an example of when you might use the tool, see Tutorial: Using an Entity Framework Entity as a Windows Forms Data Source.

To enable the tool, select **Use MySQL with Entity Framework**, ensure that **Entity Framework 6.x** is selected, and then click **Finish** (see the figure that follows).

MySQL Application Configuration		×
MySQL Application Configuration	Entity Framework Set options for use with Entity Framework	\bigcirc
Entity Framework	 ✓ Use MySQL with Entity Framework Which version of Entity Framework do you want to use? 	
	Back Finish	Cancel

Figure 7.2 MySQL Application Configuration Tool for Entity Framework (non-web)

Setting Options for Web Applications

In the context of a web application, entity framework is the first page of options that you can enable. After enabling (or skipping) the entity framework option, the wizard-like tool steps through several additional web provider pages (see Section 7.2, "Web Providers"). You can enable entity framework alone and skip the other web providers, or selectively enable other providers in the same session.

With MySQL for Visual Studio 1.2.9 (or higher) installed, Entity Framework 6 is the only version to select, as the following figure shows. Previous versions of MySQL for Visual Studio permit you to

configure your application to use Entity Framework 5 or 6. (Prior to version 1.2.9, this tool was named MySQL Website Configuration.) The current version of MySQL Connector/NET no longer supports Entity Framework 5.

To include entity framework options, select **Use MySQL with Entity Framework**, ensure that an **Entity Framework** version is selected, and then click **Next** to advance to the membership provider options. To skip configuring entity framework options, deselect the **Use MySQL with Entity Framework** check box.

MySQL Application Configuration		×
MySQL Application Configuration	Entity Framework Set options for use with Entity Framework	\bigcirc
Entity Framework	Use MySQL with Entity Framework	
Membership	Which version of Entity Framework do you want to use?	
Simple Membership	Entity Framework 6x	
Roles		
Profiles		
Session State		
Site Map		
Web Personalization		
	Back Next	Cancel

Figure 7.3 MySQL Application Configuration Tool for Entity Framework (web)

For information about the options on the membership (or simple membership), roles, profiles, session state, site map, and web personalization pages, see Section 7.2, "Web Providers".

7.2 Web Providers

The MySQL Application Configuration tool establishes MySQL as the database provider for one or more web providers by making changes to your application's Web.config file. You can choose only one of the two membership providers: membership or simple membership. All of the other web providers may be enabled independently or together. The configuration entries for each web provider managed by the MySQL Application Configuration tool are included in the sections that follow.

- Membership Provider
- Simple Membership Provider
- Roles Provider
- Profiles Provider
- Session State Provider
- Site Map Provider
- Web Personalization Provider

Web-provider pages share several common elements, as the membership provider page shows.

MySQL Application Configuration	ı		×
MySQL Application Configuration	Membership Set options f	Membership Set options for use with the membership provider	
Entity Framework		Use MySQL to manage my membership records	
Membership	Name:	/	
Simple Membership	Description:	MySQL default application	
Roles	Connection String:		Edit
Profiles			
Session State		Autogenerate Schema	
Site Map		Write exceptions to event log	
Web Personalization			
		Back Next	Cancel

Figure 7.4 MySQL Application Configuration Tool - Membership

Check box to enable the provider. Web providers are enabled when you select the check box on the page. When selected, the page enforces requirement-checking specific to the provider. For example, if you enable any provider, the configuration file for you application must include a connection string. If the connection string is missing, the tool returns a warning when you attempt to move to the next provider. To skip (or disable) an individual web provider, deselect the check box.

Name. Each enabled web provider requires a value to specify the application name. If you do not provide a value, then the default value creates an application name for you. The value is associated with the applicationName property in the Web.config file.

Connection String. The Web.config file stores a single connection string for all of the MySQL web-providers. Each web-provider page includes an area for entering a connection string, however only the last entry is saved. For example, if you set it in the first web provider and also set it on the third web provider, the connection string from the third provider page is saved. You can enter a connection string directly in the text box provided or click **Edit** to use a visual editor to help you sort and select the various connection string options (see Section 7.3, "Using the MySQL Connection String Editor").

Autogenerate Schema. Select the Autogenerate Schema option check box to ensure that the necessary schemas are created automatically for the web provider being configured. These schemas are used to store MySQL web provider information. The database used for storage is the one specified in the connection string.

Write exceptions to event log. Select the Write exceptions to event log option check box to ensure that exceptions generated by the application are written to the Windows event log.

Membership Provider

In addition to the standard membership provider, there is also a simple membership provider. You can only choose one of these two membership providers. To use the membership provider, select **Use MySQL to manage my membership records** to enable the page. You can now enter the name of the application that you are creating the configuration for. You can also enter a description for the application. The **Autogenerate Schema** and **Write exceptions to event log** options can be selected for this web provider.

After setting up a membership provider, a new section is added to the web configuration file.

<membership defaultProvider="MySQLMembershipProvider">

<pre>cproviders></pre>
<remove name="MySQLMembershipProvider"></remove>
<pre><add <br="" name="MySQLMembershipProvider" type="MySql.Web.Security.MySQLMembershipProvider,
MySql.Web, Version=8.0.18.0, Culture=neutral, PublicKeyToken=c2222fc2222c44d">applicationName="/" description="MySQL default application" connectionStringName="LocalMySqL writeExceptionsToEventLog="False" autogenerateschema="False" enableExpireCallback="False" enablePasswordRetrieval="False" enablePasswordReset="True" requiresQuestionAndAnswer="True" requiresUniqueEmail="False" passwordFormat="Clear" maxInvalidPasswordAttempts="5" minRequiredPasswordLength="7" minRequiredNonalphanumericCharacters="1" passwordAttemptWindow passwordStrengthRegularExpression="" /></add></pre>

</membership>

With one of the membership providers configured, click **Next** to advance to the roles provider page.

Simple Membership Provider

The simple membership provider options are similar to those of the membership provider, but with fewer properties in the configuration file. To enable, check the **Use MySQL to manage my simple membership records**.



Note

The simple membership provider is not supported by MySQL Connector/NET 8.0 and cannot be enabled if you have the 8.0 version of the connector installed.

The MySQL simple membership provider handles the website membership tasks with ASP.NET. This provider is a simpler version of the ASP.NET Membership provider, and it can also work with OAuth Authentication. For additional information about using OAuth authentication, see Adding OAuth Authentication to a Project.

The required configuration options for the simple membership provider are: a name for the connection string and a connection string that contains a valid database with a local or remote MySQL server instance, a user table to store the credentials, and column names for the User ID and User Name columns.

Select the **Auto Create Tables** option to create the required tables when adding the first user to the table. After setting up a membership provider, a new section is added to the web configuration file.

```
<membership defaultProvider="MySQLSimpleMembershipProvider">
   <providers>
        <clear />
        <remove name="MySQLSimpleMembershipProvider" />
        <add name="MySQLSimpleMembershipProvider" />
        <add name="MySQLSimpleMembershipProvider"
        type="MySql.Web.Security.MySQLSimpleMembershipProvider, MySql.Web, Version=6.10.8.0, Culture=
        PublicKeyToken=c2222fc2222c44d"
        applicationName="/" description="MySQL default application"
        connectionStringName="LocalMySqlServer"
        writeExceptionsToEventLog="False"
        autogenerateschema="False"
        userTableName="Users"
        userTableName="Users"
        userIdColum="UserId" userNameColum="UserName" autoGenerateTables="True" />
        </providers>
```

```
</membership>
```

After setting up one of the membership providers, click **Next** to configure the roles provider page.

Roles Provider

Click **Use MySQL to manage my roles** to enable this provider page. The page includes the following options to edit: the connection string, the application name, and a description of the provider. The **Autogenerate Schema** and **Write exceptions to event log** options can be selected for this web provider.

After setting up a roles provider, a new section is added to the web configuration file.

Click **Next** to configure the profiles provider page.

Profiles Provider

Click **Use MySQL to manage my profiles** to enable this provider page. The page includes the following options to edit: the connection string, the application name, and a description of the provider. The **Autogenerate Schema**, **Write exceptions to event log**, and **Callback for session end event** options can be selected for this web provider.

After setting up a profiles provider, a new section is added to the web configuration file.



Click Next to configure the session state provider page.

Session State Provider

Click **Use MySQL to manage my ASP.Net session state** to enable this provider page. The page includes the following options to edit: the connection string, the application name, and a description of the provider. The **Autogenerate Schema** and **Write exceptions to event log** options can be selected for this web provider.

After setting up a session provider, a new section is added to the web configuration file.

<sessionState mode="Custom" cookieless="true" regenerateExpiredSessionId="true" customProvider="MySqlSessic"</pre>

<providers>

<add name="MySqlSessionStateProvider" type="MySql.Web.SessionState.MySqlSessionStateStore, MySql.Web.Session=8.0.18.0, Culture=neutral, PublicKeyToken=c2222fc2222c44d"</pre>

```
applicationName="/" description="" connectionStringName="LocalMySqlServer"
writeExceptionsToEventLog="False" autogenerateschema="False" enableExpireCallback="False" />
</providers>
</sessionState>
```

Click **Next** to configure the site map provider page.

Site Map Provider

The site map provider builds a site map from a MySQL database, and builds a complete tree of the SitemapNode objects. It also provides methods so that the generated nodes can be read from the site map. Click **Use MySQL to manage my ASP.NET site map** to enable this provider page.

The required configuration options: A name for the application and a connection string that contains a valid database with a local or remote MySQL server instance. The **Autogenerate Schema** and **Write exceptions to event log** options can be selected for this web provider.

After setting up the site map provider, a new section is added to the web configuration file.

Click Next to proceed to the web personalization configuration page:

Web Personalization Provider

The web personalization provider is used when a website application needs to store persistent information for the content and layout of the Web Parts pages that are generated by a Web Parts personalization service. This provider should be used along with the membership, roles, and profiles providers. Click **Use MySQL to manage my ASP.NET personalization provider** to enable this provider page.

The required configuration options: A name for the application and a connection string that contains a valid database with a local or remote MySQL server instance. The **Autogenerate Schema** and **Write exceptions to event log** options can be selected for this web provider.

After setting up the web personalization provider, a new section is added to the web configuration file.

```
</personalization>
```

When you have selected the web personalization options, click **Finish** to write the changes for all web provides to the Web.config file and close the tool.

7.3 Using the MySQL Connection String Editor

The MySQL Connection String Editor lists and describes all supported connection-string options for the version of MySQL Connector/NET that you have installed. To open the editor from any web-provider page (see the **Connection String** entry box), click **Edit**.

By default, the editor lists connection-string options by category (see the figure that follows). Alternatively, you can sort the list alphabetically using the sorting buttons provided. The main list consists of options on the left and values on the right of a split area. To add a text value, such as the database name, select the option in the list (Database, in this example), and then type the name of the database (sakila) after the cursor. Some connection-string options have predefined values and show a down arrow when selected.

When you select a connection-string option, a brief description is shown in an information box below the list. After you add an option value and then select another option, the editor appends the new option/value pair to the existing connection string. Click **OK** to return to the web-provider page, which now includes the modified connection string.

Server Shared Memory Name	localhost	
Shared Memory Name	localitost	
Use Compression		
Use Old Syntax		
Data		
ConnectionString	server=localhost:user id=root;	
Misc		
Keep Alive		
Pooling		
Cache Server Properties		
Connection Lifetime		
Connection Reset		
Maximum Pool Size		
Minimum Pool Size		h
Pooling		
Security		
Password	••••	1
Persist Security Info		
Ssl Mode		
User Id	root	۲
	Use Old Syntax Data ConnectionString Misc Keep Alive Pooling Cache Server Properties Connection Lifetime Connection Reset Maximum Pool Size Minimum Pool Size Pooling Security Password Persist Security Info Ssl Mode User Id	Use Old Syntax Data Connection String Keep Alive Pooling Cache Server Properties Connection Lifetime Connection Reset Maximum Pool Size Minimum Pool Size Minimum Pool Size Pooling Security Password Persist Security Info Ssl Mode User Id root

Figure 7.5 MySQL Application Configuration Tool - Connection String Editor



Note

Defined connection strings are automatically loaded and available in editor, whether they were created manually in web.config for each application or previously using this tool.

Chapter 8 MySQL Project Items

Table of Contents

8.1 MySQL ASP.NET MVC Items	45
8.2 MySQL Windows Forms Items	52

This two-part tutorial uses MySQL MVC Item templates to set up a MVC web application. In the second part of the tutorial, a Windows Forms Item with MySQL connectivity is created.

Minimum Requirements

- MySQL 5.5 installed on a host that is accessible.
- MySQL for Visual Studio 1.2.5.
- Visual Studio 2012, the professional edition.
- MySQL Connector/NET is required to use web providers in the generated web application.

8.1 MySQL ASP.NET MVC Items

To add a MySQL MVC Item to an existing MVC project, first add a MySQL Entity Framework model. Skip this step if you have already done this.

Configure the project to use MySQL with an Entity Framework. There are two ways to do this:

- Manually add the references needed (EntityFramework, MySql.Data &MySql.Data.Entity), and add the required configuration to the web.config configuration file
- Or (preferred), take advantage of the **MySQL Website Configuration** tool, which allows either Entity Framework 5 or 6 with MySQL. For additional information about this tool, see Chapter 7, *MySQL Application Configuration Tool*.

Once you have configured the project to use MySQL with Entity Framework, proceed to create the model using the standard **ADO.NET Entity Data Model** wizard. For MySQL MVC Item Templates, you need to add the model under the "Models" folder, as illustrated below:

Figure 8.1 ADO.NET Entity Data Model

	Entity Data Model Wizard	×
	Choose Model Contents	
What shou	ld the model contain?	
Generate from database	Empty model entity model from a database. Object-layer code is generated from the model. This option also ecify the database connection, settings for the model, and database objects to include in the	
	< Previous Next > Finish Cancel	

Figure	8.2	Choose or	create	a new	MySQL	connection
--------	-----	-----------	--------	-------	-------	------------

Entity Data Model Wizard	×
Choose Your Data Connection	
Which data connection should your application use to connect to the database?	
✓ New Connection	ı
This connection string appears to contain sensitive data (for example, a password) that is required to co to the database. Storing sensitive data in the connection string can be a security risk. Do you want to in this sensitive data in the connection string?	onnect Iclude
No, exclude sensitive data from the connection string. I will set it in my application code.	
Yes, include the sensitive data in the connection string.	
Entity connection string:	
	~
	~
✓ Save entity connection settings in Web.Config as:	
< Previous Next > Finish Can	cel

Figure 8.3 Creating a new MySQL connection

This is to the his to th	P Which day	Choose Your Data Connection ta connection should your application use to Choose Da	o connect to the database? ata Source ? ×
Data provider: .NET Framework Data Provider for MySC 🖌	This to the this s	Data source: Microsoft SQL Server Microsoft SQL Server Database File <u>MySQL Database</u> <other></other>	Description Use this selection to connect to MySQL Server using the .NET Framework Data Provider for MySQL
Always use this selection Continue Cancel	[[] []	Data provider: .NET Framework Data Provider for MySC ∨ ✔ Always use this selection	Continue Cancel

After selecting the MySQL connection, you need to select the database objects to include in the model.



Important

The **Pluralize or singularize generated object names** option must remain unchecked, otherwise the MySQL MVC Item Template will not function properly.

Figure 8.4 Selecting the database object to include in the model

	Entity Data Model Wizard	x
	Choose Your Database Objects and Settings	
Which data	abase objects do you want to include in your model?	
	Tables //iews Stored Procedures and Functions	
Pluralize	e or singularize generated object names	
✓ Include	foreign key columns in the model	
Import s	selected stored procedures and functions into the entity model	
Model Nan	nespace:	
sakilaMode		
	< Previous Next > Finish Cancel	

Click Finish to generate the model, as demonstrated below:

Solution Explorer ₹₽× 💿 🟠 🔞 - 같 Q 司 询 🕨 🗕 器 🚷 Search Solution Explorer (Ctrl+;) ρ. Solution 'WebApplication1' (1 project) WebApplication1 4 Properties ■ ■ References ⊳ 💼 App_Data ⊳ App_Start Content ⊳ Controllers ⊳ Þ fonts 🔺 듴 Models 🞝 Model1.edm Scripts Views 🖹 favicon.ico Þ 🔂 Global.asax packages.config Project_Readme.html

Figure 8.5 Creating the MySQL Entity Framework model

Now, generate a new MySQL MVC Item. Right-click on the project, and select **Add New Item** from the contextual menu.

Ø	Area				Sig	n in
° <mark>n</mark>	New Item	Ctrl+Shift+A				
t o	Existing Item	Shift+Alt+A	- 5	Solution Explorer	-	Ψ×
	New Scaffolded Item				0	
*	New Folder				0	
	Add ASP.NET Folder	•	2	Search Solution Explorer (Ctrl+;)		ρ.
	Reference		н.	😡 Solution 'WebApplication1' (1 project)		
	Service Reference			A B WebApplication1		
			.	Build		
	HTML Page			Rebuild		
	JavaScript File			Clean		
	Style Sheet			View •		
	Web Form			Analyze •		
	MVC 5 View Page (Razor)		ø	Publish		
	Web API Controller Class (v2)			Scope to This		
	ADO.NET Entity Data Model			New Solution Explorer View		
	MySQL New MVC Item		認	Show on Code Map		
ヤ	Class			Add		
_			×	Manage Nuclet Dealerson		

Figure 8.6 Add New Item

This launches the Add New Item wizard. The MySQL menu offers two options: MySQL New MVC Item and MySQL New Windows Form. Select MySQL New MVC Item, and then click Add.

· · · · · · · · · ·			· ·
	Add New Item - WebApp	lication1	f 🗙
▲ Installed	Sort by: Default		Search Installed Templates (Ctrl+E) 🛛 🔎 🗸
✓ Visual C# Code	MySQL New MVC Item	Visual C#	Type: Visual C# An item template for creating a new MVC
General ▷ Web Windows Forms WPF MySQL Reporting Situationt	MySQL New Windows Form	Visual C#	item with MySQL connectivity.
Silverlight SQL Server Workflow			
₽ Online	Click here to go opline and find te	mulates	
Name: MySQL New M	VC item1		Add Cancel

Figure 8.7 The MySQL menu options

This opens the **MVC Item Template** dialog. Now select the MySQL model and entity that you want to use to create the MVC item. The model dropdown list is populated based on all the MySQL Entity Framework models available in the project, entities dropdown list is populated with entities available for the selected model.

Figure 8.8 MySQL MVC Item Template Dialog

	MVC Item Template	
MySQL Item Template	From the dropdown list below, select the MySql model you	u want to use to create the form:
This form will allow you to create a MVC item connected to an existing MySQL database.	Select the entity to create the form:	Finish Cancel

Figure 8.9 MySQL MVC Item Template

	MVC Item Template
MySQL Item Template	MVC Item Template From the dropdown list below, select the MySql model you want to use to create the form: Model1 Select the entity to create the form: actor address category city country customer film millin_actor film category
	film_text film_text inventory language payment rental staff store
	Finish Cancel

After selecting the model and entity to create the item, click **Finish**, and a new controller and view matching the selected entity will be added to the project. These contain the necessary back end code to render the *entity* data.



Figure 8.10 New controller and view added to the project

You can now execute the application. In our example we used the Sakila database and generated an Actor controller:

Figure 8.11 The Actor View

+ III http://localhost:1139/Actor				♀ ▾ ♂ 📄 - My ASP.NET Application	×
A	oplication nam	I e Home	About Contact		
A	ctor List				
ac	tor_id first_name	a last_name	last_update		
1	PENELOP	EGUINESS	2/15/2006 4:34:33 AM		
2	NICK	WAHLBERG	2/15/2006 4:34:33 AM		
3	ED	CHASE	2/15/2006 4:34:33 AM		
4	JENNIFER	DAVIS	2/15/2006 4:34:33 AM		
5	JOHNNY	LOLLOBRIGID	A2/15/2006 4:34:33 AM		
6	BETTE	NICHOLSON	2/15/2006 4:34:33 AM		
7	GRACE	MOSTEL	2/15/2006 4:34:33 AM		
8	MATTHEW	JOHANSSON	2/15/2006 4:34:33 AM		
9	JOE	SWANK	2/15/2006 4:34:33 AM		
10	CHRISTIA	NGABLE	2/15/2006 4:34:33 AM		
1	2345>				

© 2015 - My ASP.NET Application

8.2 MySQL Windows Forms Items

This portion of the tutorial describes how to create a Windows Form with MySQL connectivity. The item template to use for this operation is named MySQL New Windows Form. To open the Add New Item window, right-click your windows form application and select **MySQL** from the list of installed items.

The item template for adding a new MySQL Windows Form is similar to the MySQL MVC item template (see Section 8.1, "MySQL ASP.NET MVC Items"), but with three major differences:

• You can create the MySQL Entity Framework model under the root path of the project.

Figure 8.12 A MySQL Entity Framework model created in a Windows Form Application



• When selecting the desired entity, you can also select the layout type in which the new form will display the entity data.

Windows Forms Item Template **MySQL** From the dropdown list below, select the MySql model you want to use to create the form: Model1 v **Item Template** Select the entity to create the form: actor v Choose layout: Single-column layout A form based interface with individual text boxes. O Grid A table layout with rows and columns of a single table. Master-Detail A Parent-child relationship form. This layout is very useful for two related tables Select the detail entity: \lor Finish Cancel

Figure 8.13 The "MySQL Windows Form" Item Template dialog, with the layout options

• A Resources folder is added to the project that contains images used by the icons for the generated form.



Figure 8.14 The Resources Folder and New Form

The new form will have all the necessary back-end code to display the entity data, with the user interface (UI) based on the previously selected layout.

144 4 0	Actor of {0} 🕨 🕅 💼 💼 🤹	>	
actor_id first_name		last_name last_update	

Figure 8.15 The "frmactor" Form in Design Mode

Figure 8.16 The "frmactor" Form to Display Data

•		Actor	- 🗆 ×
i M4 4 1	of 200 🕨 🕅 🖦 🖦	\$	
actor_id	1	last_name	GUINESS
first_name	PENELOPE	last_update	2/15/2006 4:34 AM

Chapter 9 MySQL Data Export Tool

MySQL for Visual Studio has a data export tool that creates a dump file for a MySQL database.

Q × ** * * S > #* Data Connections > # Condition(sakila) > # Servers > # SharePoint Connections	MySQL Data Export Please select a database connection: Incalhost(sakila) Select objects to export	
	Filter schemas Export Schema anewdb db655-a db655-b journeydb mynewdb names newdabase sakil	
	Options Select path to save export file (*.mysql): sakiladump Advanced Always create a new .mysql file Skip table data Use a single transaction Include stored routines	

Figure 9.1 MySQL for Visual Studio Data Export Tool: Main Window

Creating a Dump of an existing MySQL Database

To open a new window for the MySQL Data Export tool, you must first create a new connection using the **Server Explorer** window inside Visual Studio. After the connection is established, a contextual menu can be opened by right clicking on the connection node. From the menu, choose the **MySQL Data Export** option. A new tab opens for the current connection. You can then select one or more databases to include in the dump.

Start Page - Micro	osoft Visual Studio					
FILE EDIT VIEW DEE	BUG TEAM SQL TOOLS	TEST ARCHITECTURE	ANALYZE W	/INDOW HELP		
0-0 8-41	🔐 🤊 - 🤆 - 🕨 Attach					
Server Explorer	🛛 🗙 Start Page 🕂 🗙				÷	Solution Explore
Q × ** *= o* I>						0001
Data Connections			GET STARTED	HOW-TO VIDEOS (STREAMING) LATEST NEWS		
👂 🐻 localho <u>st(sakila</u>)		40	Welcome	Windows 9 Windows Azura Web Windows Dhone Office & CharaDoint		
Servers Q R	efresh		weicome	windows o windows Azure web windows Prione Onice & SharePoint		
	elete	Del				
N	Addify Connection		22.0	What's New		
c	lose Connection		· PK	What's new in Visual Studio		
	pen MySQL Utilities Console			What's new in .NET Framework		
L.	aunch MySQL Workbench					
N	NySQL Data Export	5		Getting Started		
N	lew Query		0-	Getting started with Visual Studio		
R	ename			Getting started with Blend		
P	roperties	Alt+Enter		Learn more about Visual Studio		
	✓ Close page after ✓ Show page on st	r project load tartup	<ي Ω	Manage your projects in the cloud Learn more about collaboration features, including agile project management See what's new, or sign up for an account Learning Resources Visual Studio troubleshooting and support Visual Studio videos on Channel 9 What is an MSDN subscription?		
	Find Results 1			- q	×	
	순 일 일 포 포					
					Y	
Server Explorer Toolbox	Error List Output Find R	esults 1				Solution Explore

Figure 9.2 MySQL for Visual Studio Data Export Tool: Connection Context Menu

Follow these steps to create a dump for the MySQL Databases:

1. Select all the databases and their objects to be included in the dump.

Figure 9.3 MySQL for Visual Studio Data Export Tool: Selecting a Datab	ase
--	-----

ver Explorer	C DBExportDoc_1212201395803.dumps* + X Start Page	▼ Sol
Y S Servers SharePoint Connection	s Select objects to export	
 [2] sinteroun connector 	Filter schemas Export Schema anewdb d655-a d655-b journeydb mynewdb newdstabase sakil	
	Options Select path to save export file (*.mysql): sakiladump Advanced Always create a new .mysql file Skip table data Use a single transaction Include stored routines Load Settings Store Settings Store Settings Start Export	
	Output Show output from: General	· • • ×

2. It is very important to select the desired settings for the dump: whether the dump will include the data, whether the insert operations will be logged in extended mode, and so on. In the main window of the **MySQL Database Export** tool are shown the basic options for the dump. Also, by clicking on the **Advanced** button, more specific options can also be selected.

lor de servidores 🐃 🚥 🕈	Página principal MySql Database Export + ×			Explorador de soluci •
T¥ ™ 0* № Conexiones de datos	General Options	44		000 1
Consciones de ShasePoint	Add comments to the dump file.	o to or receive more the server (mo): 2024		
Servidores	Quote identifiers within backtick characters. Chars	et name as the default character set: utl8		
Windows Azure	Flush the MySQL server log files before starting the dump.			
	Database Options			
	Add DROP DATABASE before each CREATE DATABASE	Lock all tables before dumping them.		
	Allow creation of column names that are keywords.			
	Dump events from the dumped databases.			
	Table Options			
	Add DROP TABLE before each CREATE TABLE	Do not write CREATE TABLE that re-create each dumped table.		
	Add LOCK TABLES and UNLOCK TABLES			
	Include all MySQL-specific table options in CREATE TABLE statements.			
	Insert Options			
	Use complete INSERT statements that include column names.	Write REPLACE rather than INSERT		
	Use INSERT DELAYED rather than INSERT.			
	Use multiple-row INSERT syntax that include several VALUES lists.			
	Use INSERT IGNORE rather than INSERT.			
	INSERT with statements to disable and enable keys for each table.			
		Return	1	

3. When the selection of the options is done, give a name to the result file that will be created. If no path is given for the result file, the default path to be used is My Documents under the user's folder.

DBExportDoc_121220 ELE EDIT VIEW DEBUG C C C C C C C C C C C C C C C C C C C	1395803.dumps* - Microsoft Visual Studio TEAM SQL IOOLS TEST ARCHITECTURE AMALYZE WINDOW HELP ♡ - ♡ - ▷ Attach □	Solution Explo ○ ○ ☆
 Bervers SharePoint Connections 	Select objects to export Filter schemas Export Schema eskill eskill secondtest spatialdb country country counter_list vehicle Refresh Select All Unselect All	
	Options Select path to save export file (".mysql): sakiladump Advanced Advanced routines	
	Load Settings Store Settings	
	Output · 후 3 Show output from: General · 문 늘 늘 날 문화	×
Server Explorer Toolbox	Error List Output Find Results 1	 Solution Explo

Figure 9.5 MySQL for Visual Studio Data Export Tool: Generating the Dump File

4. A filter can be applied on the list of schemas for the selected connection. With it, the user can easily locate the databases to be included in the dump.

Figure 9.0 WyoQL for visual Studio Data Export 1001. Filtering the Schemas	Figure 9.6 My	SQL for Visua	I Studio Data	Export Tool:	Filtering the	Schemas
--	---------------	---------------	---------------	---------------------	---------------	---------

DBExportDoc_121220 FILE EDIT VIEW DEBUG CONT VIEW DEBUG	1395803.dumps ⁴ - Microsoft Visual Studio TEAM_SQL_TOOLS_TEST_ARCHITECTURE_ANALYZE_WINDOW_HELP	- Sol
	names Filter schemas Export Schema Image: Constraint of the schema of the s	
	Options	
	Select path to save export file (*.mysql): sakiladump Advanced	
	Always create a new .mysql file Skip table data Use a single transaction Include stored routines	
	Load Settings Store Settings	
	Output	:
	Show output from: General • Sc Ta Ta 😂 Ta	
		•
Server Explorer Toolbox	Error List Output Find Results 1	Sol

5. After selecting the options and the name for the dump file, the user can click the **Export** button, which generates the dump.

Figure 9.7 MySQL for Visual Studio Data Export Tool: Viewing the Generated Script

Source Tables * # Y im adv > Solution Explorer > Solution Explorer > C × 14 im adv > Bit Server (none+) Disc (non+) Dis (non+) Dis (non+)	×
Serve Explorer • • • • • • • • • • • • • • • • • •	
Q × 1 * 2 mg Y * 2 mg	4 ×
★ W Dua Connections ★ W Connections CKARE BARABOG (*12212 D' NOT EXISTS*/ * sakils /* ideige DEFAULT CHEADCE IN SET urts */; ★ W Connections ★ Station Solution Solution Y @ project ★ Solution Y # So	٩
<pre>/ @ CodPoint_install / @ Traint // CodPoint // Co</pre>	ρ.
b □ country DBCP TABLE IF EXISTS 'actor'; b □ country /*144013 ST Envector_ist_client * #@character_set_client */; b □ Sfan /*144013 ST Envector_ist_client * ufl8 */; b □ Sfan (*144014 ST Envector_ist_client * ufl8 */; b □ Sfan (*144014 ST Envector_ist_client * ufl8 */; b □ Sfan, stord (*24401 ST Envector_ist_client * ufl8 */; b □ Sfan, detegory 'actor_istant' (Unit AUTO_INCREMENT,	ecoy
> □ fini_tet 'listi_name' variaur(0) 000 MUL, > □ invettoy 'listi_name' variaur(0) 000 MUL, > □ my_sign(string) 'listi_name' variaur(0) 000 MUL, > □ my_sign(string) 'listi_name' variaur(0) 000 MUL, > □ my_sign(string) '/listi_name' variaur(0) 000 MUL, > □ my_sign(string) '/listi_name' variaur(0) 000 MUL, > □ my_sign(string) -	
> my_espect_sessions > > mystafe > > mstel > > mstell > <tr< td=""><td></td></tr<>	
b E Severi Runcher: myldump.netadd-drop-databaseadd-drop-tableadd-locks-falseall-databases-falseallou-keywords-falsecommentscompact- [3] Shumbher Connections 11//39/2013 1510-011 Export of databases sakila has finished. File: ClusterSideb/DocumentSiskliadump.mysal Exported 1 and its schema selected objects.	View
Terrespondent Control	INS.

Each dump can have different settings. After configuring the dump operation, the settings can be saved into a setting file for later use. This file includes: the connection selected, the name of the file for the dump, and the database or databases and the objects selected for dumping. The file extension for the setting file is .dumps.

ELE EDIT VEW DEBUG Server Explorer Image: Server Splorer Image: Server Splorer V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V	TEAM SQL IOOLS TEST ARCHTE	CTURE ABALVZE WINDOW B - Start Page an: localhost(sakila)	A HErb			•	Solution Explorer	
	Export: Schema	Filter schemas	db655-a Tables	tions ership				X
	db655-b			Save As				
	journeydb	- 💮 - 🕇 💽 🛛 Libr	aries > Documents >		~ C	Search Doc	uments	P
	mynewdb	Organize 🕶 New folder					80 •	
	names	A	Name	Date modified	Tune	Gre		^
	newdatabase	Cal Libraries	BExportDoc 1212201382203.dumps	12/12/2013 8:23 PM	DUMPS File	48	B	
	saki	Documents	DBExportDoc_1212201373619.dumps	12/12/2013 7:36 PM	DUMPS File	4 K	B	
	Refresh	Music	BExportDoc_1212201371954.dumps	12/12/2013 7:20 PM	DUMPS File	48	в	
		E Pictures	test.dumps	12/12/2013 7:15 PM	DUMPS File	9 K	B	
	Octions	Videos 🗸	DBExportDoc_11292013101138.dumps	11/29/2013 10:27	DUMPS File	4 K	В	~
	Select path to save export file (*.mysql):	File names DBEnpo Save as type: (".dum	stDoc_1212201395803.dumps ps)					*
		Hide Folders				Save	Cance	
	Load Settings Store Settings					-		
	Output		C. La a Milan			• • • ×		
	2now output from: General	•	5 = = E E					
						~		
	<)		
Server Explorer Toolbox	Error List Output Find Results 1						Solution Explorer	Team Explore

Figure 9.8 MySQL for Visual Studio Data Export Tool: Saving a Setting File

A saved setting file can be loaded into the **MySQL Data Export** tool by clicking the **Load Settings** button.

Figure 9.9 MySQL for Visual Studio Data Export Tool: Opening a Setting File

er Explorer ← ₹ × × ← 1 = 0,7 ← 0,	Attach Attach	v itart Page nc localhost(sakila)				* Sol	ution Explorer	
	Export Schema anewdb	Filter schemas	db555-a d	tions ership				×
	db655-b			Open		1 (1)		
	journeydb	€ ⊙ • ↑ 💽 • Lib	varies > Documents >		× 0	Search Docum	rents	<u>р</u>
	mynewdb	Organize 👻 New folde	8				H • 11	
	names	A	Name	Date modified	Type	Size		^
	newdatabase	Pavorites	DBEmedDer 1212201382203 dumes	12/12/2013 8-23 PM	DUMPS File	A KR		
	sakil	Develop	DRFxportDoc 1212201373619 dumos	12/12/2013 7:36 PM	DUMPS File	4 KB		
	Refresh	Recent places	BBbportDoc_1212201371954.dumps	12/12/2013 7:20 PM	DUMPS File	4 KB		
		and other parts	test.dumps	12/12/2013 7:15 PM	DUMPS File	9 KB		
	Options	🔚 Libraries 🗸 🗸	DBExportDoc_11292013101138.dumps	11/29/2013 10:27	DUMPS File	4 KB		~
	Select outb to save export file (* musofi	File n	DRE-modDay 1212201382203 4-may			(* dumos)		~
	Sener pair to save opport the (stry says	1	and bootpointered in the sources and the			(interries)		
	Always create a new .mysql file					Open	Cance	<u> </u>
						_		
	Load Settings Store Settings				Start Export			
	Output					- # ×		
	Show output from: General	*	5 S S 8 8 15					
						*		

Chapter 10 DDL T4 Template Macro

Convert an Entity Framework model to MySQL DDL code. Starting with a blank model, you can develop an entity model in Visual Studio's designer. Once the model is created, you can select the model's properties, and in the Database Script Generation category of the model's properties, the property **DDL Generation** can be found. Select the value **SSDLToMySQL.tt(VS)** from the drop-down list.



Figure 10.1 DDL T4 Template Macro - Model Properties

Right-clicking the model design area displays a context-sensitive menu. Selecting **Generate Database** from Model from the menu displays the **Generate Database Wizard**. The wizard can then be used to generate MySQL DDL code.

Generate Database Wizard	×
Summary and Settings	
Save DDL As: MyExampleModel.edmx.sql	
DDL	
SET QUOTED_IDENTIFIER OFF; GO IF SCHEMA_ID(N'dbo') IS NULL EXECUTE(N'CREATE SCHEMA [dbo]'); GO 	Ŧ
< Previous Next > Finish Cance	el

Figure 10.2 DDL T4 Template Macro - Generate Database Wizard

Chapter 11 Debugging Stored Procedures and Functions

The stored procedure debugger provides facilities for setting breakpoints, stepping into individual statements (Step Into, Step Out, Step Over), evaluating and changing local variable values, evaluating breakpoints, and other debugging tasks.

Privileges

The debugger recreates at the start of each debug session a serversidedebugger database in your server. This database helps to track the instrumented code and implement observability logic in the debugged routine. Your current connection needs to have privileges to create that database, and its associated stored routines, functions, and tables.

The debugger makes changes behind the scenes to temporarily add instrumentation code to the stored routines that you debug. You must have the ALTER ROUTINE privilege for each stored procedure, function, or trigger that you debug. (Including procedures and functions that are called, and triggers that are fired, by a procedure that you are debugging.)

Starting the Debugger

To start the debugger, follow these steps:

- 1. Choose a connection in the Visual Studio Server Explorer.
- 2. Expand the <u>Stored</u> <u>Procedures</u> folder. Only stored procedures can be debugged directly. To debug a user-defined function, create a stored procedure that calls the function.
- 3. Click on a stored procedure node, then right-click and from the context menu choose **Debug Routine**.



Figure 11.1 Choose a Stored Routine to Debug

Usage

At this point, Visual Studio switches to debug mode, opening the source code of the routine being debugged in step mode, positioned on the first statement.

If the initial routine you debug has one or more arguments, a pop-up will show up with a grid (a row per each argument and three columns: one for the argument, one for the argument value (this is editable) and one for nullifying that argument value (a check box). After setting up all the argument values, you can press **OK** to start the debug session, or **Cancel** to cancel the debug session.



Figure 11.2 Setting Arguments (1 of 2)

Figure 11.3 Setting Arguments (2 of 2)

spWithArgs.mysql 🔅	× mysql://192.168.56.1/test	6/SimpleScalar	mysql://192.168.56.1/test6/simpleproc	₹
CREATE P	ROCEDURE `spWithArg	ys`(a int,	b int)	ŧ
begin				-
declare	n int;			
字 😝 set n =	a + b;			
set n =	n + 1;			
end				
				TH.
				~
100 % 🔹 <				>
Locals		₹ I X c	all Shark	• I ×
Name	Value		Name	
2 a	12	int	spWithAras	MvSc
🧼 b	4	int		
🥥 n	NULL	int		
		~		~
🚟 Autos 👼 Loca	als 👳 Watch 1	4	🔁 Call S 🧔 Break 📁 Com 🖉 Imme 🗏	Output

How the Debugger Functions

To have visibility into the internal workings of a stored routine, the debugger prepares a special version of the procedure, function, or trigger being debugged, instrumented with extra code to keep track of the current line being stepped into and the values of all the local variables. Any other stored procedures, functions, or triggers called from the routine being debugged are instrumented the same way. The debug versions of the routines are prepared for you automatically, and when the debug session ends (by either pressing **F5** or **Shift + F5**), the original versions of the routines are automatically restored.

A copy of the original version of each instrumented routine (the version without instrumentation) is stored in the AppData\Roaming\MySqlDebuggerCache folder for the current Windows user (the path returned by calling System.Environment.GetFolderPath(Environment.SpecialFolder.ApplicationData) in .NET, plus appending MySqlDebuggerCache. There is one file for each instrumented routine, named routine_name.mysql. For example, in Windows 7, for a user named fergs, the path is C: \Users\fergs\AppData\Roaming\MySqlDebuggerCache.

Two threads are used, one for the debugger and one for the routine being debugged. The threads run in strict alternation, switching between the debugger and the routine as each statement is executed in the stored routine.

Basic Debugging Operations

The debugger has the same look and feel as the standard Visual Studio debuggers for C#, VB.NET or C++. In particular, the following are true:

Locals and Watches

• To show the Locals tab, choose the menu item Debug, Windows, Locals.

The **Locals** tab lists all the variables available in the current scope: variables defined with DECLARE at any point in the routine, argument parameters, and session variables that are referenced.

- If the last step operation changes the value of a local, its value will be highlighted in red (until another statement is executed or stepped.
- You can change the value of any local.
- To show the Watch tab, choose the menu item Debug, Windows, Watch.

To define a watch, type any valid MySQL expression, optionally including function calls. If the watch evaluation makes sense in the current context (current stack frame), it will show its value, otherwise it will show an error message in the same row the watch was defined.

• When debugging a trigger, in addition to any locals declared or session variables referenced, the new and old object (when applicable) will be listed. For example in a trigger for INSERT, for a table defined like:

create table t1(id int, myname varchar(50));

the locals will list the extra variables new.id and new.myname. For an UPDATE trigger, you will also get the extra variables old.id and old.myname. These variables from the new and old objects can be manipulated the same way as any ordinary local variable.

test6.	.trTriggerTable.myso	<mark>ql ×</mark> DoInsertTi	riggerTable.mysql*	spl	est.mysql*				•
	create trig	<mark>ger</mark> trTrigg	gerTable BEFC	RE II	ISERT on	test6.trigger	table <mark>for</mark>	each	÷
->	set new	.mvid = net	u.mvid + 1;						_
Ĩ	Det new	ingra neo	, may rea + ry						
	end								
									Ξ
									-
									~
100 ዓ	/o - <							>	
Locals			- ₽ 1	× Cal	l Stack			, ф	×
Nan	ne	Value	Туре	~	Name			Lang	р 🔼
	🧼 new.myid	1	int	⇒	trTriggerTa	ble		MyS	(
	🧼 new.myname	val	varchar		DoInsertTr	iggerTable		MyS	(
	where 📅 Leards				Seelle 🔽	Durah 🔽 Cara		— ~~	
📑 А	iutos 🛛 🐺 Locals 🚽	🧱 Watch 1		i i i i i i i i i i i i i i i i i i i	🕯 Call S 🔟	👂 Break 📜 Com	📰 Imme	📃 Öut	put

Figure 11.4 Debugging a Trigger

Call Stack

- To show the Call Stack tab, choose the menu item Debug, Windows, Call Stack.
- The stack trace (in the **Call Stack** tab) will list all the stack traces, one for each routine invocation. The one with a yellow mark is the current stepping point. Clicking in another will activate in the editor the tab for that routine source, highlighting in green the last statement stepped.
Figure 11.5 Call Stack



Stepping

• Stepping of a new routine starts in the first executable instruction (excluding declares, handlers, cursor declarations, and so on).

Figure 11.6 Debug Stepping



Figure 11.7 Function Stepping (1 of 2)



Figure 11.8 Function Stepping (2 of 2)

Do	Sum.m	iysql* 🕽	< SimpleN	onScalar.mysql*	mysql:/	/192.1	68.56.	1/test6	/NestedFu	nction							Ŧ
	CI bi	REATE egin	DEFINE	R=`root`@`	localhos	st`F	UNCI	TION	`DoSum`	(a	int,	b	int)	RETUR	NS :	÷
		de de	clare a clare b	1 int; 1 int;													
->		se se re	<mark>t a1 =</mark> t b1 = turn a1	<mark>a;</mark> b; . + b1;													ш
	e	nd															
10	0%	- 2														>	~
						-		_			_		_		_		
Loc	als					гųх	Cal	Stack								- ₽	×
r	Jame	~		Value 6	Type			Name DoQu	m							Langi Muqu	
Ŀ	<u> </u>	a h		5 10	int	-	~	Simpl	eNonSca	ar						MvSr	
Ľ	Q	~ a1		NULL	int			ennp:	011011010							,	
	<i>.</i>	b1		NULL	int												
						~											v
-	Auto	s 👼 L	ocals 🗾	Watch 1			S.	Call S.	🗖 Bre	ak	💌 Cor	n	(EE)	Imm	ne 🧮	Outo	out

- To step into the code of a condition handler, the condition must be triggered in the rest of the MySQL routine.
- The next statement to be executed is highlighted in yellow.
- To continue stepping, you can choose between Step Into (by pressing F11), Step Out (by pressing F10) or Step Over (by pressing Shift + F11).
- You can step out of any of functions, triggers or stored procedures. If you step from the main routine, it will run that routine to completion and finish the debug session.
- You can step over stored procedure calls, stored functions, and triggers. (To step over a trigger, step over the statement that would cause the trigger to fire.)
- When stepping into a single statement, the debugger will step into each individual function invoked by that statement and each trigger fired by that statement. The order in which they are debugged is the same order in which the MySQL server executes them.
- You can step into triggers triggered from INSERT, DELETE, UPDATE, and REPLACE statements.
- Also, the number of times you enter into a stored function or trigger depends on how many rows are evaluated by the function or affected by the trigger. For example, if you press F11 (Step Into) into an UPDATE statement that modifies three rows (calling a function for a column in the SET clause, thus invoking the function for each of the three rows), you will step into that function three times in succession, once for each of the rows. You can accelerate this debug session by disabling any breakpoints defined in the given stored function and pressing Shift + F11 to step out. In this example, the order in which the different instances of the stored function are debugged is server-specific: the same order used by the current MySQL server instance to evaluate the three function invocations.

Breakpoints

- To show the Breakpoints tab, choose the menu item Debug, Windows, Breakpoints.
- The **Breakpoints** tab will show all the breakpoints defined. From here, you can enable and disable breakpoints one by one or all at once (using the toolbar on top of the **Breakpoints** tab).
- You can define new breakpoints only in the middle of a debug session. Click in the left gray border of any MySQL editor, or click anywhere in a MySQL editor and press **F9**. In the familiar Visual Studio way, you press **F9** once to create a breakpoint in that line, and press it again to remove that breakpoint.
- Once a breakpoint is defined, it will appear enabled (as filled red circle left to the current row if that line is a valid statement to put a breakpoint) or disabled (as a non-filled red circle left to the current row if that row is not valid to put a breakpoint).
- To define conditional breakpoints, after creating the breakpoint, right click in the red dot and choose Condition.... There you can put any valid MySQL expression and state if the condition is Is True or Has changed. The former will trigger the breakpoint every time the condition is true, the latter every

time the condition value has changed. (If you define a conditional breakpoint, it is not enough to step into the line with the breakpoint defined to trigger such a breakpoint.)

Figure 11.9 Conditional Breakpoints

DoSum.mysql* × SimpleNonScalar.mysql* mysql://192.168.56.1/test6/NestedFunction										
CREATE DEFINER begin	<pre>>`root`@`localhost` FUNCTION `DoSum`(a int, b int) RETURN </pre>	NS ≑								
declare a1	int;									
declare b1	int;									
\rightarrow set al = a;	•	=								
$ \frac{3ct}{1-b}; $										
end	Breakpoint Condition									
	When the breaknoint location is reached, the expression is evaluated and the	_								
	breakpoint is hit only if the expression is true or has changed.									
	✓ Condition:									
	b1 = 10	_								
	● Is true									
100 % • <	O Has changed	>								
Locals	OK Cancel	- 4 ×								
Name Val		.angi 📥								
🥥 a 5	int 🚽 🔿 DoSum	VlySc								
	int SimpleNonScalar	MySc								
✓ a1 NU	JLL INT									
🛛 🖼 Autos 🛛 🤯 Locals 🛛 🥂 Wa	atch 1 🛛 🙀 🖓 🖓 🖓 🖓 🖓 Break 🎽 Com 🦛 Imme 📃	Output								

Figure 11.10 Expressions and Breakpoints



• To define pass count breakpoints, after creating the breakpoint, right click in the red dot and choose **Hit Count...** In the pop-up dialog, define the specific condition to set. For example, **break when the hit count is equal to** and a value 3 will trigger the breakpoint the third time it is hit.

Other Features

- To abort the debug session (and the execution of the current call stack of routines), press Shift + F5.
- To run the routine to completion (or until next breakpoint hit), press F5.
- For all functionality you can use (in addition to the shortcuts documented), see the options in the **Debug** menu of Visual Studio.

Limitations

- Code being debugged must not use get_lock or release_lock MySQL functions, since they are used internally by the debugger infrastructure to synchronize the debugger and the debugged routine.
- Code being debugged must avoid using any transaction code (START TRANSACTION, COMMIT, ROLLBACK) due to the possibility of wiping out the contents of the debugger tables. (This limitation may be removed in the future).
- You cannot debug the routines in the serversidedebugger database.
- The MySQL server running the routine being debugged can be any MySQL server version after 5.0, and running on any supported platform.
- Always run debug sessions on test and development servers, rather than against a MySQL production server, because debugging can cause temporary performance issues or even deadlocks. The instrumented versions of the routines being debugged use locks that might not pertain to the rest of the production code.

Keyboard Shortcuts

The following list summarizes the keyboard shortcuts for debugging:

- F9 Toggles breakpoints
- F11: Step into once
- F10: Step over once
- Shift + F11: Step out once
- F5: Run
- Shift + F5: Abort current debug session

Appendix A MySQL for Visual Studio Frequently Asked Questions

Questions

• A.1: How do I know if MySQL for Visual Studio is installed?

Questions and Answers

A.1: How do I know if MySQL for Visual Studio is installed?

Open Visual Studio and go to **View**, **Toolbars**, and look for (and enable) the **MySQL** toolbar. Or, open MySQL Installer and look for the MySQL for Visual Studio product.